Journal of Food Science
Author Index, Volume 59, 1994

A

Abdollahi, A., 1135
Ablett, S., 808
Ackman, R.G., 256
Acton, J.C., 1187
Acuff, G.R., 18, 242
Adachi, O., 519
Addis, P.B., 928
Aguilar, C.A., 1239
Ali, M.T., 1024
Amano, K., 97
Amantea, G.F., 528, 533
An, H., 277, 1013
Arantheswaran, R.C., 447
Andersson, R., 1077
Ang, C.Y.W., 26, 494
Anon, M.C., 626
Antinone, M.J., 38
Arakawa, N., 519
Armstrong, D.J., 260
Armstrong, H.J., 872
Arora, A.P., 1325
Arp, S.C., 288
Artes, F., 1063
Arvanitoyannis, I., 197
Asano, T., 855
Aserin, A., 606
Ateba, P., 1275
Auh, J.H., 1072
Aujard, J.-F., 416
Azevedo, M.C.N.A., 371

B

Baek, H.H., 91
Bailey, J.W., 1034
Balasubramaniam, V.M., 675
Bao, B., 1155, 1159
Barampama, Z., 833
Barbano, D.M., 1302
Barbieri, G., 1313
Barbosa Guerra, N., 1050
Baron, R.F., 716
Barret, D.M., 574
Barrett, A.H., 617
Barth, M.M., 1171
Barylko-Pikielna, N., 1318
Bateman, R.C. Jr., 517
Batisse, C., 389
Baublis, A., 1219
Bayasi, T., 1037
Beauchamp, G.K., 682
Benderbous, S., 1271
Beneitez, P., 1070
Benito-Delgado, J., 295
Benner, R.A., 242
Bennett, R.D., 309
Berber-Jimenez, M.D., 1219
Bergamini, C., 1313
Berry, B.W., 10, 742
Berry, R.E., (1)ii, (5)ii, (6)iv
Beuchat, L.R., 338, 6231, 816
Bezkorovainy, A., 189
Bhattacharya, M., 221
Bielicki, G., 1271
Bilbao, A., 1050
Birk, Y., 155
Bishop, J.R., 1305
Bizri, J.N., 130
Blanc, P.J., 862
Blanchard, S.P., 734
Blanshard, J.M.V., 197
Bloukas, J.G., 725
Boisseau, P., 259
Boivin, P., 885
Bombara, N., 626
Bora, P.S., 5945
Bourne, M.C., 1181
Boutte, T.T., 326, 652
Bowles, B.L., 905
Boyle, E.A.E., 928
Boyle, J.A., 251
Brackett, R.E., 175
Braddock, R.J., 402
Bradford, D.D., 6
Bramlage, W.J., 581
Bravo-Gutierrez, L.M., 933
Brekke, C.J., 594
Brenes, M., 1197
Brewer, M.S., 702
Bruns, R.E., 844
Buchanan, R.L., 179
Buera, M.D.P., 921
Bullock, K.B., 6
Buret, M., 389
Burma, P., 1184
Burns, E.E., 362
Bushway, A.A., 394
Bunard, K.S., 260
Bye, L.R., 453

C

Cabodevila, O., 872
Cadwallader, K.R., 91
Calcagno, C., 335
Calderon, T., 1070
Camire, M.E., 394
Campos, F.A.C.S., 371
Cano-Munoz, G., 821
Cao, N., 657
Carballo, J., 211
Careche, J., 211
Caries, B., 148
Carpenter, J.A., 729
Carr, J.M., 941, 946
Carson, K.J., 1213
Cash, J.N., 1065
Casper, H.H., 644
Cavalcanti, A.C.A., 371
Cavalieri, R.P., 1244
Cemeroglu, B., 1216
Chan, A., 420
Chang, H.C., 660, 729
Chang, K.C., 602, 1153, 1155, 1158, 1207
Chang, M.-J., 1034
Chang, T-S., 1065
Chavez, M.S. 1108
Chen, J.P., 424
Chen, L-F., 657
Chervin, C., 389
Chiheb, A., 441
Chinachoti, P., 799
Chinnan, M.S., 568, 816
Chirife, J., 921
Cho, B.M., 1072
Choi, S-W., 1042
Chung, S., 799
Chung, Y.C., 523
Chuy, L.E., 43
Claus, J.R., 295, 937, 1283
Cleary, D.A., 552
Coffey, D.L., 1034
Cofrades, S., 211
Cohen, E., 155
Collins, J.L., 1034, 1213
Combes, D., 876
Corsetti, A., 881
Cossignani, L. 881
Craig, J.C. Jr., 1, 316
Crawford, D.L., 786
Crilly, J.F., 1227
Cygnarowicz-Provost, M., 1

D

Dacremont, C., 981
Damiani, P., 881
Damodaran, S., 554
Davis, D.R., 611
Dawes, H., 858
Dawley, R., 824
De Barber, C.B., 629
De Menezes, T.J.B., 844
De Noronha, J., 828
De Sotillo, D.R., 649
De Sousa, I., 872
Debray, E., 441
Delaquis, P., 1296
Delwiche, S.R., 410
D.-Reinhard, W., 115, 634
Desbois, P., 1088
Desobry, S., 966
Dexter, D.R., 471
Dhurandhar, N., 602, 1207
Dicosty, L.L., 1127
Doi, E., 769
Donnat, J.P., 1271
Doores, S., 447
Dorko, C.L., 716
Dossena, A., 152
Doudot-Algaron, F., 544
Doyon, G., 1296
Drake, M.A., 326, 652, 655
Drudis-Biscarri, R., 564
Du, Z., 551
Duce, S.L., 808
Ducruet, V., 990
Duenas, M., 1060
Duncan, S.E., 53, 1305
Dunham, R.A., 64
Dunne, C.P., 849
Duran, M.C., 1197
Durance, T.D., 693
Dussaud, A., 148
Dusaklewicz-Reinhard, W., 115, 634
Duteurtre, B., 148

E

Edwards, C.G., 192
Egbert, W.R., 6
Ehret-Henry, J., 990
Eigel, W.N., 937
Einhorn, J., 544
Ekstrand, B., 797
Eldridge, D.B., 517
Ellekjaer, M.R., 456
Endo, K., 1009
Epley, R.J., 928
Erickson, M.C., 1234
Escher, F.E., 689
Escriche, A.J., 1053
Eshtiaghi, M.N., 1168
Esteban, R.M., 123
Esteve, C.C., 529
Eun, J-B., 251
Evangelisti, F., 335
Evans, I.D., 1227

F

Fairchild, T.M., 960
Fairley, P., 321
Famelart, M.H., 548
Farkas, D.F., 523
Feigenbaum, A., 990
Feldman, Y., 606
Fernandez, K., 1060
Fernandez-Bolanos, J., 1192
Fils-Lycaon, B., 389
Finne, G., 242
Fleming, H.P., 125, 350
Flores, H., 371
Flores, J., 303
Flurkey, W.H., 824
Foegeding, P.M., 960
Ford, A.L., 1202
Foucat, L., 1271
Fowler, K.P., 70
Fox, J.B. Jr., 1291
Francis, I.L., 142
Fransis, A., 828
Frederick, T.L., 300, 453
Freeman, D.W., 60
Fry, F.S., 1131
Fu, A.-H., 306
Fu, Y.C., 899
Fuchigami, M., 1162
Fujii, S., 1211
Fujio, Y., 159, 164
Fukumoto, L.R., 757
Fung, D.Y.C., 494
Furtula, V., 528, 533

G

Gagnon, J., 1296
Galloway, C.M., 387
Galvez, F.C.F., 378
Gamble, G.R., 671
Gandolfi, I., 152
Gao, L., 1057
Gao, X., 1247
Garcia, P., 1197
Garcia-Reverter, J., 1181
Gariepy, C., 1296
Garrido, A., 1197
Garrote, R.L., 1108
Garti, N., 606
Garwin, J.L., 1135
Gastaldi, E., 310
Gaullard, F., 885
Gebrehiwot, A., 523
Gendel, S., 1131
German, J.B., 321
Girard, B., 507
Gleeson, R.A., 1024
Gnanasambandam, R., 474
Gobbetti, M., 881
Godber, J.S., 91, 1279
Gogol, B.K., 113
Goins, R.E., 1262
Golden, M.H., 179
Goma, G., 862
Gomez, E., 406
Gomez-Basauri, J.V., 747
Gonzalez-Castro, M.J., 1043
Goodrum, J.W., 382
Graczyk, A., 57
Graf, E., 1086
Graham, P.P., 275
Greenberg, N.J., 70
Griffin, L.E., 356
Griffis, C.L., 23
Grimes, L.W., 1187
Gripon, J.C., 544
Guerra, N.B., 371
Guiheneuf, T.M., 808
Guillen, R., 11912
Gujska, E., 115, 634
Guntensperger, B., 689
Guraya, H.S., 641

H

Habig McHugh, T., 416
Hadley, M., 649, 1031
Hagenimana, V., 373
Hague, M.A., 455
Hale, D.S., 697
Halek, G.W., 420, 1325
Hall, L.D., 808
Hallman, J.L., 739
Halteman, W.A., 394
Hamann, D.D., 777, 1018
Han, D., 1279
Handumrongkul, C., 67
Hanna, M.A., 895

Journal of Food Science
Author Index, Volume 59, 1994

A

Abdollahi, A., 1135
Ablett, S., 808
Ackman, R.G., 256
Acton, J.C., 1187
Acuff, G.R., 18, 242
Adachi, O., 519
Addis, P.B., 928
Aguilar, C.A., 1239
Ali, M.T., 1024
Amano, K., 97
Amantea, G.F., 528, 533
An, H., 277, 1013
Arantheswaran, R.C., 447
Andersson, R., 1077
Ang, C.Y.W., 26, 494
Anon, M.C., 626
Antinone, M.J., 38
Arakawa, N., 519
Armstrong, D.J., 260
Armstrong, H.J., 872
Arora, A.P., 1325
Arp, S.C., 288
Artes, F., 1063
Arvanitoyannis, I., 197
Asano, T., 855
Aserin, A., 606
Ateba, P., 1275
Auh, J.H., 1072
Aujard, J.-F., 416
Azevedo, M.C.N.A., 371

B

Baek, H.H., 91
Bailey, J.W., 1034
Balasubramaniam, V.M., 675
Bao, B., 1155, 1159
Barampama, Z., 833
Barbano, D.M., 1302
Barbieri, G., 1313
Barbosa Guerra, N., 1050
Baron, R.F., 716
Barret, D.M., 574
Barrett, A.H., 617
Barth, M.M., 1171
Barylko-Pikielna, N., 1318
Bateman, R.C. Jr., 517
Batisse, C., 389
Baublis, A., 1219
Bayasi, T., 1037
Beauchamp, G.K., 682
Benderbous, S., 1271
Beneitez, P., 1070
Benito-Delgado, J., 295
Benner, R.A., 242
Bennett, R.D., 309
Berber-Jimenez, M.D., 1219
Bergamini, C., 1313
Berry, B.W., 10, 742
Berry, R.E., (1)ii, (5)ii, (6)iv
Beuchat, L.R., 338, 6231, 816
Bezkorovainy, A., 189
Bhattacharya, M., 221
Bielicki, G., 1271
Bilbao, A., 1050
Birk, Y., 155
Bishop, J.R., 1305
Bizri, J.N., 130
Blanc, P.J., 862
Blanchard, S.P., 734
Blanshard, J.M.V., 197
Bloukas, J.G., 725
Boisseau, P., 259
Boivin, P., 885
Bombara, N., 626
Bora, P.S., 5945
Bourne, M.C., 1181
Boutte, T.T., 326, 652
Bowles, B.L., 905
Boyle, E.A.E., 928
Boyle, J.A., 251
Brackett, R.E., 175
Braddock, R.J., 402
Bradford, D.D., 6
Bramlage, W.J., 581
Bravo-Gutierrez, L.M., 933
Brekke, C.J., 594
Brenes, M., 1197
Brewer, M.S., 702
Bruns, R.E., 844
Buchanan, R.L., 179
Buera, M.D.P., 921
Bullock, K.B., 6
Buret, M., 389
Burma, P., 1184
Burns, E.E., 362
Bushway, A.A., 394
Bunard, K.S., 260
Bye, L.R., 453

C

Cabodevila, O., 872
Cadwallader, K.R., 91
Calcagno, C., 335
Calderon, T., 1070
Camire, M.E., 394
Campos, F.A.C.S., 371
Cano-Munoz, G., 821
Cao, N., 657
Carballo, J., 211
Careche, J., 211
Caries, B., 148
Carpenter, J.A., 729
Carr, J.M., 941, 946
Carson, K.J., 1213
Cash, J.N., 1065
Casper, H.H., 644
Cavalcanti, A.C.A., 371
Cavalieri, R.P., 1244
Cemeroglu, B., 1216
Chan, A., 420
Chang, H.C., 660, 729
Chang, K.C., 602, 1153, 1155, 1158, 1207
Chang, M.-J., 1034
Chang, T-S., 1065
Chavez, M.S. 1108
Chen, J.P., 424
Chen, L-F., 657
Chervin, C., 389
Chiheb, A., 441
Chinachoti, P., 799
Chinnan, M.S., 568, 816
Chirife, J., 921
Cho, B.M., 1072
Choi, S-W., 1042
Chung, S., 799
Chung, Y.C., 523
Chuy, L.E., 43
Claus, J.R., 295, 937, 1283
Cleary, D.A., 552
Coffey, D.L., 1034
Cofrades, S., 211
Cohen, E., 155
Collins, J.L., 1034, 1213
Combes, D., 876
Corsetti, A., 881
Cossignani, L. 881
Craig, J.C. Jr., 1, 316
Crawford, D.L., 786
Crilly, J.F., 1227
Cygnarowicz-Provost, M., 1

D

Dacremont, C., 981
Damiani, P., 881
Damodaran, S., 554
Davis, D.R., 611
Dawes, H., 858
Dawley, R., 824
De Barber, C.B., 629
De Menezes, T.J.B., 844
De Noronha, J., 828
De Sotillo, D.R., 649
De Sousa, I., 872
Debray, E., 441
Delaquis, P., 1296
Delwiche, S.R., 410
D.-Reinhard, W., 115, 634
Desbois, P., 1088
Desobry, S., 966
Dexter, D.R., 471
Dhurandhar, N., 602, 1207
Dicosty, L.L., 1127
Doi, E., 769
Donnat, J.P., 1271
Doores, S., 447
Dorko, C.L., 716
Dossena, A., 152
Doudot-Algaron, F., 544
Doyon, G., 1296
Drake, M.A., 326, 652, 655
Drudis-Biscarri, R., 564
Du, Z., 551
Duce, S.L., 808
Ducruet, V., 990
Duenas, M., 1060
Duncan, S.E., 53, 1305
Dunham, R.A., 64
Dunne, C.P., 849
Duran, M.C., 1197
Durance, T.D., 693
Dussaud, A., 148
Dusaklewicz-Reinhard, W., 115, 634
Duteurtre, B., 148

E

Edwards, C.G., 192
Egbert, W.R., 6
Ehret-Henry, J., 990
Eigel, W.N., 937
Einhorn, J., 544
Ekstrand, B., 797
Eldridge, D.B., 517
Ellekjaer, M.R., 456
Endo, K., 1009
Epley, R.J., 928
Erickson, M.C., 1234
Escher, F.E., 689
Escriche, A.J., 1053
Eshtiaghi, M.N., 1168
Esteban, R.M., 123
Esteve, C.C., 529
Eun, J-B., 251
Evangelisti, F., 335
Evans, I.D., 1227

F

Fairchild, T.M., 960
Fairley, P., 321
Famelart, M.H., 548
Farkas, D.F., 523
Feigenbaum, A., 990
Feldman, Y., 606
Fernandez, K., 1060
Fernandez-Bolanos, J., 1192
Fils-Lycaon, B., 389
Finne, G., 242
Fleming, H.P., 125, 350
Flores, H., 371
Flores, J., 303
Flurkey, W.H., 824
Foegeding, P.M., 960
Ford, A.L., 1202
Foucat, L., 1271
Fowler, K.P., 70
Fox, J.B. Jr., 1291
Francis, I.L., 142
Fransis, A., 828
Frederick, T.L., 300, 453
Freeman, D.W., 60
Fry, F.S., 1131
Fu, A.-H., 306
Fu, Y.C., 899
Fuchigami, M., 1162
Fujii, S., 1211
Fujio, Y., 159, 164
Fukumoto, L.R., 757
Fung, D.Y.C., 494
Furtula, V., 528, 533

G

Gagnon, J., 1296
Galloway, C.M., 387
Galvez, F.C.F., 378
Gamble, G.R., 671
Gandolfi, I., 152
Gao, L., 1057
Gao, X., 1247
Garcia, P., 1197
Garcia-Reverter, J., 1181
Gariepy, C., 1296
Garrido, A., 1197
Garrote, R.L., 1108
Garti, N., 606
Garwin, J.L., 1135
Gastaldi, E., 310
Gaullard, F., 885
Gebrehiwot, A., 523
Gendel, S., 1131
German, J.B., 321
Girard, B., 507
Gleeson, R.A., 1024
Gnanasambandam, R., 474
Gobbetti, M., 881
Godber, J.S., 91, 1279
Gogol, B.K., 113
Goins, R.E., 1262
Golden, M.H., 179
Goma, G., 862
Gomez, E., 406
Gomez-Basauri, J.V., 747
Gonzalez-Castro, M.J., 1043
Goodrum, J.W., 382
Graczyk, A., 57
Graf, E., 1086
Graham, P.P., 275
Greenberg, N.J., 70
Griffin, L.E., 356
Griffis, C.L., 23
Grimes, L.W., 1187
Gripon, J.C., 544
Guerra, N.B., 371
Guiheneuf, T.M., 808
Guillen, R., 11912
Gujska, E., 115, 634
Guntensperger, B., 689
Guraya, H.S., 641

H

Habig McHugh, T., 416
Hadley, M., 649, 1031
Hagenimana, V., 373
Hague, M.A., 455
Hale, D.S., 697
Halek, G.W., 420, 1325
Hall, L.D., 808
Hallman, J.L., 739
Halteman, W.A., 394
Hamann, D.D., 777, 1018
Han, D., 1279
Handumrongkul, C., 67
Hanna, M.A., 895

Hao, Y.Y., 175
Hardy, J., 986
Harrell, R.M., 70
Harris, P., 504
Hasegawa, T., 855
Hashimoto, K., 763
Hatchwell, L.C., 813
Hattori, M., 637
Hayakawa, I., 159, 164
Hayashi, T., 118
Hearnsberger, J.O., 60, 251, 513
Heddleson, R.A., 447
Heiah, C-H., 952
Hendrickx, M., 828
Heredia, A., 1192
Hermida-Bun, J.R., 821
Hernandez-Herrero, M.M., 993
Hettiarachchy, N.S., 432, 436
Heymann, H., 1222
Hildebrand, D.F., 1171
Hill, S.E., 872
Hinds, M.J., 816
Hollender, R., 1239
Holley, R.A., 1296
Holm, E.T., 649, 1031
Holsinger, V.H., 316
Horsfield, M.A., 808
Hoseney, R.C., 1086, 1251, 1255
Hospers, J.J., 1144
Howard, L.R., 110, 356, 362, 1184
Howe, J.R., 777
Howells, K.F., 168
Hoyle, N.T., 76
Hsieh, F., 890, 1247
Hsieh, Y.L., 1302
Hu, L., 890
Huang, A.S., 1338
Huang, Y., 1187
Huang, Y.W., 26, 64
Huerta, A., 1060
Huff, H.E., 890
Huffman, D.L., 6
Hughes, M., 886
Hultin, H.O., 269
Hung, Y.-C., 669
Hunt, M.C., 465
Hyakumoto, N., 1162

I

Ibarz-Ribas, A., 564
Iborra, J.L., 876
Ibrahim, S.A., 180
Im, J.S., 1222
Irastorza, A., 1060
Isaksson, T., 458
Ishida, M., 781
Ishikawa, H., 231
Ishizaki, S., 97
Isik, S., 1216
Ismail, S., 394
Ismond, M.A.H., 501
Iwaoka, W.T., 1338
Izquierdo-Pulido, M., 1104
Izumi, H., 106

J

Jack, F.R., 539
Jankiewicz, L., 57
Jester, E.L.E., 517
Jimenez, A., 1192
Jimenez-Colmenero, F., 211
Johansson, F., 1328
Johnson, D.E., 465
Johnson, L.F., 707
Johnston, M., 38
Jones, W.R., 6
Joseph, D., 1018

K

Kajimoto, G., 613
Kamen, J., 1322
Kamishikryo-Yamashita, H., 313
Kamiya, C., 585
Kanner, J., 747, 751
Kanno, T., 159, 164
Karahadian, C., 70
Karwe, M.V., 113
Kastner, C.L., 465
Kato, A., 428
Kawachi, K., 970
Kawano, T., 231
Kee, J.M., 382
Keenan, T.W., 53
Keene, J., 858
Keeton, J.T., 484
Kelleher, S.D., 269
Kemp, S.E., 682
Kerhoas, L., 544
Kessler, H.G., 1119
Khan, K., 115
Kim, C.R., 513
Kim, D.Y., 490
Kim, H.R., 91
Kim, J-W., 20, 23
Kim, J.W., 490
Kim, K-T., 30
Kim, N.-K., 669
Kim, Y.S., 33
Kindstedt, P.S., 1302
Kinekawa, Y-I., 769
Kioseoglou, V., 766
Kitabatake, N., 769
Kitagawa, R., 844
Klavons, J.A., 399
Klein, B.P., 206
Kluter, R.A., 849
Knorr, D., 1168
Kobayashi, K., 428
Kohout, K.M., 1291
Kohyama, K., 118
Kolakowaka, A., 88
Kolbe, E., 272
Kollengode, A.N., 895
Kondo, K., 720
Koyanagi, M., 585
Kozukue, E., 1211
Kozukue, N., 1211
Kraft, A.A., (4)li
Krishnarau, L., 1251, 1255
Krochta, J.M., 321, 416, 909, 1111, 1332
Kropf, D.H., 465
Kugino, K., 792
Kugino, M., 792
Kuglin, J., 824
Kumazawa, Y., 866
Kunkel, M.E., 1187
Kuti, J.O., 387
Kutty, V., 402
Kwasny, M., 57
Kweon, M.R., 1072
Kyung, K.H., 125, 350

L

Lablee, J., 956
Labuza, T.P., 43
Laencina, J., 406
Lagaude, A., 310, 956
Lagoueyte, N., 956
Lakritz, L., 1291
Laleye, L., 528, 533
Lall, S.P., 256
Lanier, T.C., 101, 272, 777, 1018
Lapvetelainen, A., 1081
Larick, D.K., 478
Laussac, J.P., 862
Lavenka, N., 1322
Lawless, H.T., 38, 751
LeBars, D., 544
LeBlanc, E.L., 1267
LeBlanc, R.J., 1267
LeBotlan, D., 1088
LeJean, G., 441
Ledford, R.A., 38
Lee, C.H., 490
Lee, Y., 356
Lee, Y.B., 33
Lelievre, J., 216
Lentz, R.R., 121
Leudecke, L.O., 326
Leufven, A., 1328
Leung, P.H., 663
Li, Y., 23
Liang, M., 890
Lima De Oliveira, S., 1050
Lin, C-W., 952
Lin, H-M., 657
Lin, T.M., 773
Lin, W-L., 97
Lindahl, L., 1077
Liu, F., 494
Liu, Q., 288
Lopez-Andreu, F.J., 123
Lopez-Hernandez, J., 1048
Lopez-Sabater, E.I., 993, 998
Loret, M.O., 862
Lovell, R.T., 64
Lozano, J.E., 564
Lozano, P., 876
Luciani, A., 990
Luna, J.A., 1108
Lund, D.B., 899, 964

M

Mac Donald, G. 272
Mac Donald, G.A., 101
Maeda, H., 366
Maesmans, G., 828
Malingre, M.E., 1234
Mallikarjunan, P., 291
Malundo, T.M.M., 338, 344
Manabe, M., 578
Maniar, A.B., 1305
Mannheim, C.H., 155
Marangoni, A.G., 1096
Marchelli, R., 152
Marcy, J.A., 1283
Marcy, J.E., 1305
Marine-Font, A., 1104
Marriott, N.G., 295, 937
Marshall, A.C., 561
Marshall, D.L., 1258
Marshall, M.R., 1024
Marshall, R.T., 1222
Martin, A., 1318
Martinez, A., 406
Martinez-Anaya, M.A., 629
Masana, M.O., 760
Mate, J.I., 1111
Matoba, T., 313
Matsudomi, N., 428
Matsumoto, J.J., 1002
Maynes, J.R., 909
Mayze, J.L., 85
Mazza, G., 1067
McCoy-Messer, J., 517
McHugh, T.H., 416
McMillin, K.W., 1279
Meinhardt, S.W., 436
Meisen, A., 1091
Mela, D.J., 1318
Merkle, J.A., 478
Merritt, J.H., 76
Meullenet, J-F., 729
Meyers, S.P., 91
Miget, R., 242
Mikel, W.B., 6
Millan, A., 1070
Miller, A.J., 739, 905
Miller, D.D., 747, 751
Miller, D.K., 747, 751
Miller, F.C., 1042
Miller, G.H. Jr., 110
Miller, M.F., 300, 453
Miller, R.A., 1086
Miller, R.K., 15, 697
Miller, R.L., 1042
Min, D.B., 1309
Mitchell, G.E., 85
Mitchell, J.R., 872
Mittal, G.S., 291, 1275
Miyamoto, A., 602, 1207
Miyazaki, K., 1162
Molla, E., 123
Montville, T.J., 663
Mora-Ventura, M.T., 993, 998
Mori, T., 588
Morita, J-I., 720
Morrissey, M.T., 272, 277, 523, 1013
Motilva, M-J., 300
Motoki, M., 866
Mowdy, D.E., 517
Mulet, A., 1181
Murakami, E.G., 237
Murano, E.A., 30, 306

N

Nadal, M-I., 303
Nagashima, H., 762
Nagayama, F., 781
Nagel, C.W., 655
Nakai, S., 507, 528, 533, 757
Nakamoto, S.T., 1338
Nakayama, T., 621
Naohara, J., 578
Nattress, D.T., 849
Nicolas, J., 885
Nielsen, R.G., 246
Nielsen, T.J., 227
Nilsson, K., 797
Nir, I., 606
Niseki, S., 781
Noda, K., 585
Nomura, F., 519
Nomura, T., 1162
Nottingham, S.M., 1202

O

O'Connor-Shaw, R.E., 1202
Oda, Y., 171
Oehlmann, S.M., 53
Ogwal, M.O., 611
Oh, D-H., 1258
Ohashi, M., 519
Ohno, T., 1002
Ohta, H., 366
Olson, D.G., 30
Onwulata, C., 316
Ori, E., 1313
Oriel, P., 660
Oritani, Y., 313
Orr, P.H., 644
Osajima, Y., 231
Osburn, W.N., 484, 933
Oser, A., 739
Otsuka, M., 519
Otsuka-Fuchino, H., 1002

P

Pacheco-Aguilar, R., 786
Padmanabhan, M., 221
Page, S.W., 1131
Palla, G., 152
Palumbo, S.A., 739
Paneras, E.D., 725
Paraskevopoulou, A., 766
Parellleux, A., 862
Park, B., 697
Park, C.S., 1072
Park, H.J., 568, 916
Park, J.E., 525
Park, J.W., 773, 777, 916
Park, K.H., 490, 1072
Park, P.W., 1262
Parkin, K.L., 47
Parrish, C.C., 256
Pateras, I.M.C., 168
Paterson, A., 538
Pellegrini, O., 310
Penfield, M.P., 716, 1213
Perez, A.G., 139
Peterson, J.C., 192
Phillips, J.G., 179
Phillips, R.D., 621
Piar, G., 441
Picchioni, G.A., 597
Piggott, J.R., 539
Pigott, G.M., 246
Pike, I.M., 110
Pilosof, A.M.R., 626
Pinthus, E.J., 804
Pomeranz, Y., 1244
Ponne, C.T., 1037
Poole, S.E., 85
Popper, R.D., 849
Porzio, M., 1338
Powers, J.R., 594
Prome, D., 862
Prome, J.C., 862

Puelli, S., 152
Puolanne, E., 1061

R

Rahardjo, R., 1286
Raharjo, S., 471
Ramsey, C.B., 300, 453
Ratcliff, B., 824
Rayas Duarte, P., 839
Reagan, J.O., 707
Reddy, N.R., 260
Reineccius, G.A., 813
Reinhard, D.W., 115, 634
Rendell, H.M., 1070
Renou, J.P., 1271
Resca, P., 1313
Resurreccion, A.V.A., 338, 344, 378, 729
Rhee, J.S., 1123
Rhee, K.S., 933
Richard, P., 693
Richard-Forget, F., 885
Richardson, D.G., 139
Roberts, A.K., 326
Roberts, R., 1202
Robertson Rosett, T., 206
Robillard, B., 148
Rodriguez De Sotillo, D., 649, 1031
Rodriguez-Estrada, M.T., 799
Rodriguez-Jerez, J.J., 993, 998
Rogers, A.M., 663
Roig-Sagues, A.X., 998
Rose, A.J., 1115
Rosenberg, S., 617
Rosenholtz, N.S., 1135
Rosenthal, A.J., 168
Ross, E.W., 617
Rossen, J.L., 121
Roy, S., 597
Rubiolo, A.C., 972-976
Rupnow, J.H., 839
Rust, R.E., 941, 946

S

Sadler, G.D., 402
Saguy, I.S., 155, 804
Saito, Y., 1131
Sakamoto, H., 866
Sakurai, M., 586
Salovaara, H., 1081
Salvadori, C., 152
Sams, A.R., 561
Sanchez-Pineda-Infantas, M.T., 821
Sandberg, G.M.M., 663
Sandeep, K.P., 1314
Sano, T., 1002
Santerre, A.L., 862
Santerre, C.R., 362, 1234
Sanz, C., 139
Sapers, G.M., 135, 1042
Sasaki, J., 1162
Sastry, S.K., 675
Schaefer, D.M., 288
Scheller, K.K., 288
Schirle-Keller, J.P., 813
Schmidt, G.R., 282, 471, 498, 711
Schmidt, S.J., 206
Schreiber, C.L., 260
Schultz, F.J., 739
Schwab, C., 1119
Sebranek, J.G., 306, 941, 946, 1286
Seethamraju, K., 221
Sefton, M.A., 142
Seymour, T.A., 277, 1013
Shahidi, F., 265
Shand, P.J., 282, 711
Shaw, D.E., 1283
Shewfelt, R.L., 568
Shigeta, J-I., 568
Shimizu, M., 763, 231
Shimoda, M., 231
Shirley, L., 206
Shults, G.W., 471
Siddiq, M., 1065
Sigurgisladottir, S., 256
Silva, J.L., 67
Silva, M.B.M., 371
Simal-Lozano, J., 1048
Simard, R.E., 373, 833
Simonetti, M.S., 881
Simpson, R., 272
Singh, S, 1267
Singh, T., 1100
Sinha, N.K., 1065
Skinner, G.E., 260
Skura, B.J., 757
Slavik, M.F., 20, 23
Smith, D.M., 1115
Smith, J.L., 179
Smith, P.W., 316
Smith, R.T., 362
Smith, V.L., 747, 751
Sofos, J.N., 282, 471, 498, 711
Sokhey, A.S., 895
Solheim, R., 456
Solomon, M.B., 471
Sotillo, E., 432, 436
Souza Livera, A.V., 1050
Spomer, A., 1219
Steffe, J., 970
Strecker, T.D., 1244
Stroda, S.L., 465
Struebi, P., 858
Stuchell, Y.M., 1332
Stute, R., 1168
Su, H-P., 952
Sucupira Maciel, M.I., 1050
Sugiyama, H., 720
Surel, O., 548
Sutton, R.L., 1227
Suzuki, K., 855
Suzuki, M., 519
Suzuki, T., 763
Swanson, B.G., 326, 652, 655
Swanson, R.B., 716
Swartzel, K.R., 960
Sylvia, S.F., 937
Szczygielski, M., 88

T

Tacke, B.K., 644
Taguchi, T., 97
Tajima, T., 855
Takahashi, K., 637
Takamura, H., 313
Takano, S., 855
Tall, J., 504
Tan, J., 1247
Tanaka, M., 97
Tang, J., 216
Tarodo de la Fuente, B., 310, 956
Testin, R.F., 916
Thayer, D.W., 1291
Thiry, J-M., 885
Thompson, L.D., 300
Tinney, K.S., 453
Tobback, P., 828
Todoriki, S., 118
Toldra, F., 303
Toledo, R.T., 641
Tomita, M., 159
Tong, C.H., 121, 899
Tonogai, J.R., 501
Tonomura, K., 171
Townsend, P.D., 1070
Townsend, W.E., 494
Toyoda, M., 1131
Treasa, T.A., 912
Trius, A., 941, 946
Trucksess, M.W., 1131
Truong, V.D., 1175
Tsuchiya, T., 1002
Tsujimoto, T., 428
Tung, M.A., 216

U

Uchiyama, M., 1131
Uahio, H., 80
Ustunol, Z., 970

V

Valiente, C., 123
Van Amelsvoort, J.M.M., 1144
Van Elswyk, M.E., 561
Van Loey, A., 828
Vannier, S.H., 399
Vazquez-Blanco, M.E., 1048
Vazquez-Oderiz, M.L., 1048
Velioglu, S., 1216
Venugopal, V., 265
Vergano, P.J., 912, 916
Vezina, L-P., 373
Vickers, Z. 981
Vickers, Z.M., 328
Vidal-Carou, M.C., 1104
Vignes-Adler, M., 148
Villalon, B., 362

W

Wada, K., 637
Wade, S., 517
Wagner, A.B., 362, 1184
Wahem, I.A., 130
Walker, J.T., 23
Walter, W.M. Jr., 1175
Wang, C.C.H., 1153
Wang, F., 1091
Wang, H., 23, 295
Wang, S.S., 113, 1137
Wardlaw, F.B., 1187
Ware, G.O., 338, 378
Warren, K.E., 465
Wasylik, K., 57
Watabe, S., 80
Watada, A.E., 106, 597
Wattanapat, R., 621
Weaver, G., 410
Wederquist, H.J., 498
Weerasinghe, V., 1013
Wei, C.I., 1024
Weller, C.L., 916
Wergin, W.P., 597
Westerlund, E., 1077
Weststrate, J.A., 1144
Whitaker, B.D., 597
Whiting, R.C., 1, 179, 760
Whittaker, A.D., 697
Wiesenborn, D.P., 644
Wikstrom, K., 1077
Wilhelm, K.A., 269
Williams, P.J., 142
Williams, S.E., 707
Williams, S.N., 288
Williams, W.P., 1187
Wilson, L.A., 1286
Wong, R., 1338
Wood, R., 1070
Worfel, R.C., 471
Work, T.M., 394
Wu, J., 277
Wu, S.Y., 702
Wu, W., 1187

X

Xiong, Y.L., 734
Xu, L., 1127

Y

Yam, K.L., 113
Yamashita, H., 1211
Yang, B., 47
Yang, B.K., 424
Yang, N.S., 1072
Yang, S.A., 1009
Yang, W.T., 1309
Yeom, H.W., 1123
Yongsawatdigul, J., 773
Yoo, K.S., 110
Yoon, J., 964
Yoon, S.H., 490
Yoshida, H., 613
Yoshiyama, K., 164
You, X., 602, 1207
Younce, F.L., 662
Yuksel, D., 1027
Yun, J.J., 1302
Yuno-Ohta, N., 366

Z

Zayas, J.F., 474
Zeng, Y., 216
Zhang, X., 1338
Zheng, X., 1137
Zhu, H., 554
Zhuang, H., 1171
Ziegler, G.R., 1239
Ziprin, Y.A., 933
Zorrilla, S.E., 972, 976
Zunin, P., 335
Zuritz, C.A., 1314

Subject Index, Volume 59, 1994

A

absorbent
Camembert cheese water loss through packaging, 986

acceptance
Cheddar cheese aging: changes in, 328
magnitude estimation of food, 1322

acetylation
soy protein hydrolysate debittering by lysine, 1123

acid
acetic: firmness and cell wall characteristics of jalapeno pepper affected by, 1184; microbiological properties affected by, 300
amino: evolution during sourdough fermentation and baking, 881
ascorbic: content of pepper cultivars and jalapenos, 362
caffeic: activity against C. botulinum spores, 905
citric: affect stability and quality of tomato juice, 130
formation and stability of solid solutions, 1341
fatty: acclimation temperature affects carp muscle, 1009
composition and quality of bass as affected by dietary, 70
concentration effect on tensile strength, elongation and water vapor permeability ofiaminated edible films, 916
frozen dessert attribute changes with increased amount of unsaturated, 1222
in situ preparation of methyl esters for fatty acid composition in foods, 1262
packaging influence in broccoli, 1171
vegetable oils replace pork backfat for low-fat frankfurters, 725
functions of added Ca in milk coagulation, 310
hydrolyzed starch tailings effects on cookie spread, 1255
kinetics of hydrolysis of peanut flour, 621
lactic: antibacterial activity of cabbage juice against bacteria, 125
extraction and analysis of volatile metabolites synthesized by bacteria, 192
gram negative bacteria inhibition by on catfish during storage, 513
inhibitors to improve shelf life of brown shrimp, 242
reduction of stachyose in legume flours by bacteria, 115
malolactic: fermentation of apple cider using traditional and modified methods, 1060
molecular rearrangement of treated starches, 637
organic: inhibition of L. monocytogenes by glycerol monolaurate with, 1258
phosphatase: acclimation temperature affects activity in carp muscle, 1009

acidification
sourdoughs influence wheat dough, 629

actomyosin
carp: influence of thermal treatment on gelation from different myosystems, 211
stabilization to freeze-thaw and heat denaturation by lactate salts, 101
temperature and pH affects transglutaminase-catalyzed setting of fish, 1018
thermal denaturation mechanism, 1002

additives
in surimi gels, 525; L. monocytogenes inhibition in turkey bologna by chemical, 498

adenine nucleotide
changes in CO2 packed bass, 67

aflatoxin M1
in Parmesan cheese: HPLC determination, 1313

aging
Cheddar cheese: changes in sensory attributes and consumer acceptance, 328; HPLC analysis of cheese, 528

alanine
in fruit juices: a molecular marker of bacterial activity, heat treatments and shelf-life, 152

alcohol
bioproduction of perillyl by B. stearothermophilus, 660

alginate
crosslinking kinetics of thermally preset gels, 1108; sodium: restructuring veal steaks with, 471

amines
formation during malting and brewing, 1104
oxidase: oxygen sensor based assay of histamine in fish using, 519

amylase
effects on retrogradation of starch in bread, 1072
sweetpotato: characterization and kinetic studies with endogenous inhibitors, 373

amylopectin
to amylose ratio in pasta affects postprandial glucose and insulin response and satiety in males, 1144

amylose
to amylopectin ratio in pasta affects postprandial glucose and insulin responses and satiety in males, 1144

analyses
acclimation temperature affects activities of nucleotidase and acid phosphatidase and lipid and fatty acid composition in muscle, 1009
assay systems and characterization of whiting protease, 277
beet pulp and isolated pectin physicochemical properties as related to freezing, 1153
caking and stickiness of dairy-based food powders as related to glass transition, 43
calcium fortified, reduced fat beef emulsion product, 928
carcass characteristics of catfish and quality changes during refrigerated storage, 64
carrageenan, NaCl and temperature affect yield and texture of beef rolls, 282
carrot juice color, carotenoids, and nonstarchy polysaccharides as affected by processing conditions, 1155
carrot pulp chemical composition, color and water-holding capacity as affected by blanching, 1159
cell wall composition of olives, 1192
characteristics of lean beef German sausages varying in phosphate and added water, 453
cholesterol and lipid extraction from egg yolk using organic solvents: effects on functional properties of yolk, 766
composition and quality of aquacultured bass as affected by dietary fatty acids, 70
corn meal sunflower meal extrudates and physicochemical properties, 432
cowpea tannin related to cultivar, maturity, dehulling and heating, 1034
draw pH and storage affect rheological properties of Mozzarella cheese, 1302
dynamic headspace of volatiles of Cheddar and Swiss cheese during ripening, 1309
fat level, high temperature cooking and degree of doneness affect sensory, chemical and physical properties of beef patties, 10
firmness and cell wall characteristics of pasteurized jalapeno pepper affected by CaCl2 and acetic acid, 1184
freeze-cracking in foods as affected by physical properties, 669
frozen dessert attribute changes with increased amount of unsaturated fatty acids, 1222
functional properties of rapeseed protein isolates, 1127
functions of added calcium in acid milk coagulation, 310
grade classification of pink salmon with static headspace volatile patterns, 507
hemoglobin, myoglobin, and total pigments in beef and chicken muscles: chromatographic determination, 1279
hot processed raw materials and fat level affect physical and sensory characteristics of ground beef, 707
HPLC of Cheddar cheese for assessing accelerated ripening, 533;
HPLC of cheese aged by fast ripening process, 528
improvements in canned blueberry quality, 394
in situ preparation of fatty acid methyl esters for fatty acid composition in foods, 1262
irradiated dry bean starch: physicochemical properties, 839
lipid peroxidation and chemical changes in catfish muscle microsomes during storage, 251
low-fat bologna and beaker sausage: effects of carrageenans and chloride salts, 941
microwave heating affects composition and oxidative stability of sesame oil, 613
muscle characteristics and meat tenderness of cimaterol-fed lambs, 33
of field pea, pinto and navy bean starches, 634; of textural changes in cheese during mastication by progressive profiling, 539
of volatile metabolites synthesized by lactic acid bacteria, 192
oxidative stability in pecans: chemical, physical and sensory measurements, 1234
packaging influenced chlorophyll, soluble protein, fatty acid composition and lipoxygenase activity in broccoli, 1171
peanut extract and emulsifier concentrations affect sensory and physical properties of liquid whitener, 344
phenolics in potato peel extract: extraction, identification and degradation, 649
phosphopeptides from Comte cheese, 544
properties: physical and sensory of sweetpotato puree texturized with cellulose derivatives, 1175; physical properties of encapsulated spray-dried milkfat, 316; physical/chemical nature of pectin associated with orange juice cloud, 399; potato starch paste behavior related to physical properties, 644; process variables, gelatinized starch and moisture effects on physical properties of mungbean noodles, 378; properties of edible films from total milk protein, 909; properties of low-fat nonbreaded pork nuggets with added gums and modified starches, 742; sensory, physical and microbiological properties of liquid whitener from peanuts, 338
proteose peptones and physical factors affect foaming of whey protein isolate, 554
purification and characterization of endoprotease from melon, 585
quality of fish protein hydrolysates from herring, 76
quantitation and distribution of anthocyanins and phenolics in blueberries, 1057
residence time distribution of multiple particles in non-Newtonian holding tube flow: statistics, 1314
sugar composition and invertase activity in prickly pear fruit, 387
sunflower head residue pectin extraction affected by physical conditions, 1207

thermal effect on protein quality of red kidney bean, 1187
thermal processing affects properties of shrimp and scallops, 237
ultrasonic spectral for beef sensory attributes, 697

anchovies
histamine, putrescine and cadaverine formation affected by time/temperature, 993; histamine, putrescine and cadaverine forming bacteria from, 998
thermostable proteinase in muscle, 781

anthocyanin
from strawberry cell suspension cultures: effects of sugar and nitrogen, 588
pigments: comparison of extract stability, 1219
quantitation and distribution in blueberries, 1057
degradation kinetics in sour cherry juice and concentrate, 1216

antibacterial
activity of cabbage juice against lactic acid bacteria, 125; S-methyl-L-cysteine sulfoxide as precursor of methyl methanethiolsulfinate in cabbage, 350

antibody
egg yolk IgY stability in solution with high sugar concentrations, 763

antimicrobials
affect stability and quality of tomato juice, 130

antinutrition
of dry beans as affected by processing, 833

antioxidant
activity of potato peel waste, 1031
carrageenans in beaker sausage affected by pH and STPP, 946
fat replacer and high monounsaturated oil used for pork fat in sausage, 933
reindeer steak quality as affected by, 716
soy protein isolate effect on lipid peroxidation of ground beef and microsomal lipids, 702

antistaling
amylase effects on retrogradation of starch in bread, 1072

apple
dried pomace as potential food ingredient, 1213
enzymatic browning in pulps, 564
microbial populations and malolactic fermentation of cider, 1060
superoxide dismutase in senescing, 581

aquaculture
composition and quality of bass as affected by dietary fatty acids, 70

Arnott test
correlates with rheological properties for determining Cheddar cheese meltability, 970

aroma
concept matching for assessing importance of volatiles for Cheddar cheese, 981
in cooked ground pork from swine fed increasing levels of iron, 751
packaging polymer films as vapor barriers at different relative humidities, 1328

asparagus
blanching, freezing and frozen storage influence texture of white, 821

assay
systems of whiting protease, 277

atmosphere
CO2 packaging of retail ready pork, 1296
packaging to maintain direct-set cottage cheese quality, 1305
pectinase activity of vegetable spoilage bacteria in modified, 175
shelf life of tilapia packaged in high barrier film with modified, 260

B

Bacillus
amyloliquefaciens: chemometric classification of tryptophan lots from, 1131
stearothermophilus: bioproduction of perillyl alcohol and monoterpenes by isolates of, 660; oscillatory compared with continuous high pressure sterilization on, 164

bactericide
properties of protamine-galactomannan conjugate prepared by dry heating, 428

baking
free amino acid evolution during sourdough, 881
microscopy of cake batter bubbles during: sucrose replacement by polydextrose, 168

barley
lipoxygenases from: heat and kilning stability, 885

barrel-valve assembly
affects twin-screw extrusion cooking of corn meal, 890

barrier
packaging polymer films as aroma vapor, 1328

bass
aerobic counts, color and adenine nucleotide changes in CO2 packed refrigerated strips, 67
composition and quality as affected by dietary fatty acids, 70

batter
microscopy of cake bubbles during baking: sucrose replacement by polydextrose, 168

beans/beans
cocoa: roasting effects on dietary fiber composition of, 123
green: high pressure and freezing pretreatment effects on drying, rehydration, texture and color of, 1168; HPLC
determination of sugar and starch in, 1048
oligosaccharides, antinutritional factors, and protein digestibility as affected by processing, 833
physicochemical properties of irradiated starch, 839
physicochemical properties of pinto and navy starches, 634
rehydration methods for dry, 611
thermal effects on protein quality of red kidney, 1187
white: thermal process for in water cascading retorts, 828

beef
calcium fortified, reduced fat emulsion product, 928
carrageenan, NaCl and temperature affect yield and texture of rolls, 282
characteristics of German sausages varying in phosphate and added water, 453
conditions for extraction and concentration of fat volatiles with CO2, 478
dietary tocopheryl acetate contributes to lipid stability in cooked, 288
DSC of carrageenan mixtures, 711
endpoint temperature, internal cooked color, and juice color in ground patties, 465
fat level, high temperature cooking and degree of doneness affects sensory, chemical and physical properties of, 10
hemoglobin, myoglobin, and total pigments in muscle: chromatographic determination, 127
hot processed raw materials and fat level affect physical and sensory characteristics of, 707
meat quality kinetics during carcass chilling, 291
muscle characteristics affected by rigor, tenderization and CaCl2 injection, 295
sodium lactate affects pathogens in, 15
soy protein isolate antioxidant effect on lipid peroxidation of ground, 702
stability of membrane-sterilized Ig aseptically added to UHT milk, 757
steam surface pasteurization of frankfurters, 1
storage stability of low-fat ground made with lower value cuts, 6
TSP treatment of surfaces to reduce E coli and S typhimurium, 20
ultrasonic spectral analysis for sensory attributes, 697

beer
biogenic amines formation during malting and brewing, 1104

beet(s)
pulp and isolated pectin physicochemical properties as related to freezing, 1153

beverage
kiwifruit juice clarification using fungal proteolytic enzyme, 858

Bifidobacterium longum
growth-promoting factors for, 189

bioavailability
of vitamin A in synthetic rice premix, 371

blanching
carrot pulp chemical composition, color and water-holding capacity as affected by, 1159
influence texture of white asparagus, 821
low temperature affects firmness and rehydration of cauliflower, 1181
vegetables with electromagnetic energy, 1037

blueberries
determination of freezing effects by MRI, 571
improvements in canned quality, 394
quantitation and distribution of anthocyanins and phenolics in, 1057

bologna
effects of carrageenans and chloride salts on, 941
L. monocytogenes inhibition in turkey by chemical additives, 498

bottles
limonene and myrcene sorption into polyethylene terephtalate, 227

bread
enzymes increase loaf volume of supplemented with starch tailing and insoluble pentosans, 1251
free amino acid evolution during sourdough fermentation and baking, 881
high-protein oat flour functionality assessment in, 1081;
phospholipid hydrolysate and antistaling amylase effects on retrogradation of starch in, 1072
quality of wheat flour by NIR spectrophotometry: feasibility of modeling, 410

breadmaking
dough leavening by Zymomonas mobilis, 171
sourdoughs influence wheat dough, 629

breaking
stress of rennin curds from skim milk concentrate, 952

brewing
biogenic amines formation during, 1104

brine
energy catabolism in rabbit muscle as affected by injection: NMR studies, 1271
L. plantarum survival in olives, 1197

broccoli
packaging influenced chlorophyll, soluble protein, fatty acid composition and lipoxygenase in, 1171

browning
during soursop maturation, 1050
enzymatic control in mushrooms, 1042
gelation enhancement of soy protein isolate using Maillard reaction and high temperature, 872
in apple pulps, 564

bubbles
microscopy of cake batter during baking: sucrose replacement by polydextrose, 168

bumping
quantifying explosions in foods during microwave heating, 899

butanol
fish myosin fragments solubility and fluorescence intensity affected by, 97

butterfat
phase behavior and mechanical properties of tripalmitin mixtures, 321

butteroil
Candida and Pseudomonas lipase-catalyzed hydrolysis of, 1096
emulsification with milk-derived membrane and protein fractions, 53
monoacylglycerol production from by glycerolysis with lipase, 47

C

cabbage
antibacterial activity of juice against lactic acid bacteria, 125
S-methyl-L-cysteine sulfoxide as precursor of methyl methanethiolsulfinate, principal antibacterial compound in, 350

cadaverine
forming bacteria from anchovies, 998; in anchovies affected by time/temperature, 993

cake
microscopy of batter bubbles during baking: sucrose replacement by polydextrose, 168

caking
of dairy-based food powders as related to glass transition, 43

calcium
caseinate at low temperatures: use in casein extraction by microfiltration, 548
fortified, reduced fat beef emulsion product, 928
functions of added in acid milk coagulation, 310
gel properties of whey protein concentrates influenced by ionized, 1115
treatments affect storage quality of carrots, 106

calcium chloride
beef muscle characteristics affected by injection, 295
firmness and cell wall characteristics of jalapeno pepper affected by, 1184

calorimetry, differential scanning
of beef/carrageenan mixtures, 711

Candida
lipase-catalyzed hydrolysis of butteroil in absence of organic solvents, 1096

canola
flow properties of seed pastes, 1091

cantaloupe
shelf life of, 1202

carbohydrate
relationship with lysine in infant formulas, 335

carbon dioxide
aerobic counts, color and adenine nucleotide changes in packed bass, 67
antimicrobial effect on L. monocytogenes, 657
atmosphere packaging of retail ready pork, 1296
conditions for extraction and concentration of beef fat volatiles with, 478
extraction of volatile compounds from solution using micro bubble, gaseous, supercritical and liquid, 231

carotenoid
color characteristics and stability of nonbleeding cocktail cherries with pigments, 135
of carrot juice affected by processing, 1155

carp
acclimation temperature affects activities of nucleotidase and acid phosphatase and lipid and fatty acid composition in muscle, 1009; actomyosin: thermal denaturation mechanism, 1002
sarcoplasmic reticulum changes due to heat treatment, 80

carrageenan
effect on bologna and beaker sausage, 941
in beaker sausage affected by pH and STPP, 946
kappa: affect yield and texture of beef rolls, 282; DSC of beef mixtures, 711

carrot
calcium treatments affect storage quality of, 106
high pressure and freezing pretreatment effects on drying, rehydration, texture and color of, 1168
juice color, carotenoids, and nonstarchy polysaccharides as affected by processing, 1155
membrane lipid metabolism, cell permeability and ultrastructural changes in processed, 597
pulp chemical composition, color and water-holding capacity as affected by blanching, 1159
quality maintenance of shredded by irradiation, 359
steam treatment to control surface discoloration, 356
texture and histology of frozen at programmed rate and thawed in electrostatic field, 1162

casein
caseinate at low temperatures: Ca use in extraction by microfiltration, 548

caseinate
at low temperatures: Ca use in casein extraction by microfiltration, 548

catabolism
in rabbit muscle as affected by brine injection: NMR studies, 1271

catalase
test for endpoint temperature of heated chicken, 494

catfish
carcass characteristics and quality changes during refrigerated storage, 64
gram negative bacteria inhibition by lactic acid culture and food preservatives during storage, 513
lipid peroxidation and chemical changes in muscle microsomes during storage, 251
rancidity in fillets, 60

cathepsin
degradation of whiting surimi proteins by, 1013

cauliflower
low temperature blanching affects firmness and rehydration of, 1181

cell wall
characteristics of jalapeno pepper affected by CaCl2 and acetic acid, 1184
composition of olives, 1192

cellulose
physical and sensory properties of sweetpotato puree texturized with, 1175

cheese
aflatoxin M1 in parmesan: HPLC determination, 1313
Arnott test correlates with rheological properties for determining Cheddar meltability, 970
Camembert water loss through absorbent packaging, 986
Cheddar aging: changes in sensory attributes and consumer acceptance, 328
concept matching for assessing importance of volatiles for cheddar aroma, 981
dynamic headspace analysis of volatiles of cheddar and swiss during ripening, 1309
HPLC analysis of aged by fast ripening process, 528; HPLC of Cheddar for assessing accelerated ripening, 533
milkfat sucrose polyesters as fat substitutes in cheddar type, 326
pH and storage affect rheological properties of Mozzarella, 1302
phosphopeptides from Comte, 544
NaCl and KCl changes during ripening, 972; NaCl and KCl movement in Fynbo during salting, 976
textural changes during mastication by progressive profiling, 539

chelation
copper assay for histamine in tuna, 517

chemometrics
classification of tryptophan lots from B amyloliquefaciens, 1131

cherries
activity of softening enzymes during maturation, 574
color characteristics and stability of nonbleeding cocktail with carotenoid pigments, 135
degradation kinetics of anthocyanins in sour juice and concentrate, 1216
pectin in ripening, 389

chicken
catalase test for endpoint temperature of heated, 494
color changes of leg patties due to endpoint temperature, packaging and storage, 26
heat-induced gelation of gizzard myosin, 720
hemoglobin, myoglobin, and total pigments in muscle: chromatographic determination, 1279

myofibrillar protein gelation: viscoelastic changes related to heating procedures, 734
S. typhimurium attached to skin reduced using electrical stimulation and inorganic salts, 23
texture of frankfurters with added collagen fibers, 729

chilling
intermittent warming reduces injury and decay of tomato, 1053
meat: quality kinetics during beef carcass, 291; pink color development in turkey as affected by, 1283

chloride
effect on bologna and beaker sausage, 941

chlorophyll
packaging influence in broccoli, 1171

chocolate
sensory characteristics of with lactose from spray-dried milk powder, 1230

cholesterol
extraction from egg yolk using organic solvents: effects on functional properties of yolk, 766

chromatography
hemoglobin, myoglobin, and pigments in beef and chicken muscle, 1279
gas: styrene and ethylbenzene migration from polystyrene into dairy products by dynamic purge-and-trap, 990
high pressure liquid: aflatoxin M1 in Parmesan cheese, 1313; of 2,5-dimethyl-4-hydroxy-3(2H)-furanone and flavor compounds in strawberries, 139; of Cheddar cheese for assessing accelerated cheese ripening, 533; of cheese aged by fast ripening process, 528; of sugars and starch in green beans, 1048; tomatine purification and quantification in tomatoes by, 1211

cider
microbial populations and malolactic fermentation of apple, 1060

cimaterol
muscle characteristics and meat tenderness of -fed lambs, 33

clarification
of kiwifruit juice using fungal proteolytic enzyme, 858

classification
of grade of pink salmon with static headspace volatile patterns, 507

Clostridium botulinum
caffeic acid activity against spores, 905
quantification of factors influencing nisin's inhibition of, 663

cloud
physical/chemical nature of pectin associated with orange juice, 399

coagulation
functions of added Ca in acid milk, 310

coarsening
modeling ice crystal in concentrated disperse food systems, 1227

coating
effects on storage and quality of tomatoes, 568
grease resistance of corn zein coated paper, 912

cod
refreezing rate after glazing affects muscle, 797
solids extraction and effects on ultrafiltration of aqueous extract, 799

collagen
microstructural and rheological properties of cooked squid mantle, 792
texture of chicken frankfurters with added, 729

color
changes of chicken leg patties due to endpoint temperature, packaging and refrigerated storage, 26
characteristics and stability of nonbleeding cocktail cherries dyed with carotenoid pigments, 135
high pressure and freezing pretreatment effects on green beans, carrots and potatoes, 1168
in CO2 packed bass, 67
of carrot juice affected by processing, 1155
of carrot pulp affected by blanching, 1159
of juice in ground beef patties, 465
pink development in turkey meat as affected by nicotinamide, cooking temperature, chilling rate, and storage time, 1283

colorimetry
assays for iodine in food, 1135
sucrose polyester content in food by, 655

compression
fracture intensity distributions of puffed corn meal extrudates, 617

concept matching
for assessing importance of volatiles for cheddar cheese aroma, 981

continuous flow
convective heat transfer at particle-liquid interface in, 675

conversion
shear induced during extrusion, 1137

cookies
acid hydrolyzed starch tailings effects on spread, 1255
partitioning and flavor threshold interactions of aliphatic food packaging solvent homologs in high-fat, 420

cooking
affects sensory, chemical and physical properties of beef patties, 10
barrel-valve assemble affects twin-screw extrusion of corn meal, 890
color in ground beef patties, 465
pink color development in turkey meat as affected by temperature, 1283
uniaxial extensional viscosity during extrusion from entrance pressure drop method, 221

copper
chelation assay for histamine in tuna, 517

corn
barrel-valve assembly affects twin-screw extrusion cooking of meal, 890
changes in starch and protein on extrusion of starch and sunflower protein blends, 436
fracture intensity distributions during compression of puffed extrudates, 617
grease resistance of zein coated paper, 912
meal sunflower meal extrudates and physicochemical properties, 432
screw configuration effects on starch expansion during extrusion, 895
shear conversion of meal by reverse screw elements during twin-screw extrusion at low temperature, 113

cottage cheese
diacetyl as flavor component in full fat, 38
modified atmosphere packaging to maintain direct-set quality, 1305

cowpea
tannin related to cultivar, maturity, dehulling and heating, 1034

crab
crayfish hepatopancreatic extract improves flavor extractability from processing by-product, 91

crackers
NMR measurements on, 1088

crayfish
hepatopancreatic extract improves flavor extractability from crab processing by-product, 91

crosslinking
kinetics of thermally preset alginate gels, 1108
of whiting surimi gel, 773

crust
dynamics of formation and kinetics of quality changes during frying of meatballs, 1275

crystal
modeling ice coarsening in concentrated disperse food systems, 1227

crystallization
of dried lactose-sucrose mixtures, 197

curds
breaking stress and syneresis of rennin from skim milk concentrate, 952

curing
pre-freezing hams affects lipolysis during, 303

D

dairy products
caking and stickiness of food powders as related to glass transition, 43
styrene and ethylbenzene migration from polystyrene into by GC, 990

debittering
soy protein hydrolysate by lysine acetylation, 1123

decay
intermittent warming reduces in tomato, 1053

degradation
kinetics of anthocyanins in sour cherry juice and concentrate, 1216
of phenolics in potato peel extract, 649
of whiting surimi proteins by cathepsin, 1013

dehulling
cowpea tannin related to, 1034

denaturation
actomyosin stabilization to heat by lactate salts, 101
application of high pressure for protein, 159

mechanism in carp actomyosin, 1002

density
of fats and their sorption by polymer films, 1325

dessert
frozen attribute changes with increased amount of unsaturated fatty acid, 1222

diacetyl
as flavor component in full fat cottage cheese, 38

dielectric properties
of pea puree as function of temperature, 121

diet
composition and quality of bass as affected by fatty acids in, 70
iron in swine rations affects nonheme iron and TBARS in pork skeletal muscle, 747
lipid oxidation and warmed-over aroma in cooked ground pork from swine fed increasing levels of iron, 751
roasting effects on fiber composition of cocoa beans, 123
tocopheryl acetate contributes to lipid stability in cooked beef, 288

diffusivity
of wheat gluten and glutenin at extruder temperatures, 1244

digestibility
of dry beans as affected by processing, 833

discoloration
steam treatment of carrots to control surface, 356

doneness
affects sensory, chemical and physical properties of beef patties, 10

dough
leavening by Zymomonas mobilis and its application to breadmaking, 171
pH determination by improved method, 1086
sourdoughs influence acidification and breadmaking potential of wheat, 629

drying
high pressure and freezing pretreatment effects on green beans, carrots and potatoes, 1168

dust
thermoluminescence of inorganic from irradiated herbs and spices, 1070

dynamic headspace
analysis of volatiles of cheddar and swiss cheese during ripening, 1309

dynamics
of crust formation and kinetics of quality changes during frying of meatballs, 1275

E

egg
cholesterol and lipid extraction from yolk using organic solvents: effects on functional properties of yolk, 766;
oxidative stability and sensory quality of from hens fed menhaden oil, 561
yolk Ab (IgY) stability in solution with high sugar concentrations, 763

electrical stimulation
S. typhimurium attached to chicken skin reduced using, 23

electromagnetic energy
blanching vegetables with, 1037

electrophoresis
of fish muscle sarcoplasmic proteins, 1267

electrostatic field
texture and histology of carrots frozen at programmed rate and thawed in, 1162

elongation
fatty acid concentration effect on laminated edible films, 916

emulsification
of butteroil with milk-derived membrane and protein fractions, 53
of soy proteins, 606

emulsifier
peanut concentrations affect sensory and physical properties of liquid whitener, 344

emulsions
calcium fortified, reduced fat beef product, 928
determination of water and lipid in water/meat/fat by NMR, 808
perception of taste and viscosity of oil-in-water and water-in-oil, 1318
properties of protamine-galactomannan conjugate prepared by dry heating, 428

encapsulation
physical properties of spray-dried milkfat, 316

endoprotease
from melon, 585

endpoint
catalase test for temperature of heated chicken, 494
temperature in ground beef patties, 465

energy
blanching vegetables with electromagnetic, 1037
catabolism in rabbit muscle as affected by brine injection: NMR studies, 1271
density of fats and their sorption by polymer films, 1325

enzyme
acclimation temperature affects activities of 5'-nucleotidase and acid phosphatase and lipid and fatty acid composition in carp muscle microsomes, 1009
activation mechanisms of pro-phenoloxidase on melanosis development in lobster, 1024
activity of softening during cherry maturation, 574
assay systems and characterization of whiting protease, 277
browning control in mushrooms, 1042; browning in apple pulps, 564
Candida and Pseudomonas lipase-catalyzed hydrolysis of butteroil in absence of organic solvents, 1096
catalase test for endpoint temperature of heated chicken, 494
endoprotease from melon, 585
food protein nutrient improvement by protease at reduced water activity, 876
gel matrix influence on hydrolysis of triglycerides by immobilized lipases, 424
increase loaf volume of bread supplemented with starch tailings and insoluble pentosans, 1251
invertase activity in prickly pear fruit, 387
kiwifruit juice clarification using fungal proteolytic, 858
lipoxygenases from barley: heat and kilning stability, 885
maceration of foliole puree from hearts of palm using RSM, 844
mathematical model for formation rate and collapse of foams from modified wheat flours, 626
monoacylglycerol production from butteroil by glycerolysis with gel-entrapped microbial lipase in microaqueous media, 47
oxygen sensor based assay of histamine in fish using amine oxidase, 519
packaging influenced chlorophyll, soluble protein, fatty acid composition and lipoxygenase activity in broccoli, 1171
pectinase activity of vegetable spoilage bacteria in modified atmosphere, 175
phospholipid hydrolysate and antistaling amylase effects on retrogradation of starch in bread, 1072
plum juice quality affected by, 1065
polyphenoloxidase activity, polyphenols and browning during soursop maturation, 1050
proteose peptones and physical factors affect foaming of whey protein isolate, 554
strength of protein gels prepared with microbial transglutaminase as related to reaction conditions, 866
substrate specificity of mackerel lipopolygenase, 504
superoxide dismutase in senescing apple, 581
sweetpotato amylases: characterization and kinetic studies with endogenous inhibitors, 373
temperature and pH affect transglutaminase-catalyzed setting of fish actomyosin, 1018
thermostable proteinase in salted anchovy muscle, 781
time-temperature indicator using phospholipid phospholipase system and application to storage of frozen pork, 490
treatments effects on edible soy protein films, 1332
tyrosinase, laccase and peroxidase in mushrooms, 824
E. coli O157:H7
TSP treatment of beef surfaces to reduce, 20

ethanol
influences on foam behavior of sparkling base wines, 148

ethylbenzene
migration from polystyrene into dairy products by GC, 990

expansion
of volume during hot air puffing of fat-free snack, 641
screw configuration effects on corn starch during extrusion, 895

explosions
microwave bumping: quantifying in foods during heating, 899

extract/extraction
anthocyanin pigments: comparison of stability, 1219
caseinate at low temperatures: Ca use in casein, 548
conditions for beef fat volatiles with supercritical CO2, 478
crayfish hepatopancreatic extract improves flavor from crab processing by-product, 91
of cholesterol and lipid from egg yolk using organic solvents: effects on functional properties of yolk, 766
of cod and effects on ultrafiltration of aqueous extract, 799
of volatile metabolites synthesized by lactic acid bacteria, 192
of volatiles from solution using micro bubble, gaseous, supercritical and liquid CO2, 231
peanuts and peanut butter quality affected by supercritical fluid, 382
potato peel: phenolics in extract, 649; waste: stability and antioxidant activity of, 1031
sunflower head residue pectin affected by physical conditions, 1207

extrudate
characterization by image processing, 1247
corn meal-sunflower meal and physicochemical properties, 432
fracture intensity distributions during compression of puffed corn meal, 617

extrusion
barrel-valve assembly affects twin-screw cooking of corn meal, 890
changes in starch and protein on corn starch and sunflower protein blends, 436
screw configuration effects on corn starch expansion during, 895
shear conversion of corn meal by reverse screw elements during twin-screw, 113
shear induced starch conversion during, 1137
uniaxial extensional viscosity during cooking from entrance pressure drop method, 221
wheat gluten and glutenin thermal conductivity and diffusivity, 1244

F

FAME (fatty acid methyl ester)
in situ preparation for analysis of fatty acid composition in foods, 1262

fat
affects sensory, chemical and physical properties of beef patties, 10
antioxidative replacer and high-monounsaturated oil used for pork fat in precooked sausage, 933
bologna and beaker sausage: effects of carrageenans and chloride salts, 941
conditions for extraction and concentration of beef volatiles with CO2, 478
determination of water and lipid in meat/water emulsions by NMR, 808
diacetyl as flavor component in cottage cheese, 38
effects of temperature and water during extended mixing in frankfurters, 937
flavor interactions with replacers: effect of oil level, 813
initial interfacial tension and oil uptake by fried foods, 804
konjac flour gel as substitute in low-fat pork sausage, 484
level affects physical and sensory characteristics of ground beef, 707
milkfat sucrose polyesters as substitutes in Cheddar type cheese, 326
partitioning and flavor threshold interactions of aliphatic food packaging solvent homologs in cookies, 420
properties of low-nonbreaded pork nuggets with added gums and starches, 742
reduced in beef emulsion product, 928
spray-dried soymilk used in pork sausage, 1286
storage stability of ground beef made with lower value cuts, 6
structure and cohesive energy density and their sorption by polymer films, 1325
vegetable oils replace pork backfat for low-frankfurters, 725
volume expansion during hot air puffing of -free snack, 641

fat replacers
flavor interactions with: effect of oil level, 813
milkfat sucrose polyesters in cheddar type cheese, 326
melting and hardness of milkfat blend sucrose polyesters, 652
sucrose polyester content in food by colorimetric method, 655
used for pork fat in sausage, 933

fermentation
free amino acid evolution during sourdough, 881
L. monocytogenes survival model validated in meat for effects of nitrite and pH, 760
of apple cider, 1060
vinification effects on changes in volatile compounds of wine, 406

fiber
roasting effects on dietary composition of cocoa beans, 123
texture of chicken frankfurters with added collagen, 729

films
enzymatic treatments and thermal effects on soy protein, 1332
fatty acid concentration effect on tensile strength, elongation and water vapor permeability of laminated edible, 916
packaging polymer as aroma vapor barriers at different relative humidities, 1328
plasticized whey protein edible: water vapor permeability properties, 416
properties of edible from total milk protein, 909
quality changes in diced onions stored in, 110
shelf life of tilapia packaged in high barrier, 260
structure and cohesive energy density of fats and their sorption by polymer, 1325

fining
plum juice quality affected by, 1065

firmness
low temperature blanching affects cauliflower, 1181
of jalapeno pepper affected by CaCl2 and acetic acid, 1184

flavor
crayfish hepatopancreatic extract improves extractability from crab processing by-product, 91
diacetyl in full fat cottage cheese, 38
HPLC determination of compounds in strawberries, 139
interactions with fat replacers: effect of oil level, 813
modification by NaCl and MSG, 682
phosphopeptides from Comte cheese, 544
threshold of food packaging solvent homologs in high-fat cookies, 420

flour
bread quality of wheat by NIR spectrophotometry: feasibility of modeling, 410
high-protein oat functionality assessment in bread and sausage, 1081
kinetics of acid hydrolysis of peanut, 621
konjac gel as fat substitute in low-fat pork sausage, 484
mathematical model for formation rate and collapse of foams from wheat, 626
reduction of stachyose in legume by lactic acid bacteria, 115

flow
properties of canola seed pastes, 1091
residence time distribution of multiple particles in non-Newtonian holding tube: statistical analysis, 1314

fluorescence
intensity of fish myosin fragments affected by butanol, 97

foam/foaming
lipid and ethanol influences on behavior of sparkling base wines, 148
mathematical model for formation rate and collapse from enzyme modified wheat flours, 626
proteose peptones and physical factors affect whey protein isolate, 554

follole
optimizing enzymatic maceration of puree from hearts of palm using RSM, 844

food
estimation of food acceptance, 1322
fried: initial interfacial tension and oil uptake by, 804
protein nutrient improvement by protease at reduced water activity, 876

fouling
magnetic treatment of milk and surface treatment of plate heat exchangers: effects on milk, 964

fracture/fracturability
intensity: distribution during compression of puffed corn meal extrudates, 617
method for quantifying: fracture intensity distributions during compression of puffed corn meal extrudates, 617
of pollack gels in water: effects of muscle processing and test temperature, 777

frankfurters
calcium fortified, reduced fat beef emulsion product, 928
low-fat, high-moisture: effects of temperature and water during extended mixing, 937
microstructure extended with wheat germ proteins, 474
steam surface pasteurization of beef, 1
texture of chicken with added collagen fibers, 729
vegetable oils replace pork backfat for low-fat, 725

freeze texturization
stabilization of lipids in fish by, 88

freeze-cracking
in foods as affected by physical properties, 669

freeze-drying
potato peel waste: stability and antioxidant activity of extract, 1031

freeze-thaw
actomyosin stabilization to by lactate salts, 101

freezing
beet pulp and isolated pectin physicochemical properties as related to, 1153
determination of effects in blueberry by MRI, 571
effects on drying, rehydration, texture and color of green beans, carrots and potatoes, 1168
hams affects lipolysis during dry curing, 303
influence texture of white asparagus, 821
lipid peroxidation and chemical changes in catfish muscle microsomes during storage, 251
refreezing rate after glazing affects cod and trout muscle tissue, 797
reindeer steak quality as affected by storage, 716
stabilization of lipids in fish by freeze texturization, 88
texture and histology of carrots thawed in electrostatic field, 1162
thermal processing canned meat: thermal and microbial validation, 693

fruit
intermittent warming reduces chilling injury and decay of tomato, 1053

frying
dynamics of crust formation and kinetics of quality changes in meatballs during, 1275
furanone, 2,5-dimethyl-4-hydroxy-3(2H)-HPLC in strawberries, 139

G

galactomannan
emulsifying and bactericidal properties of protamine conjugate, 428

gel(s)
crosslinking kinetics of thermally present alginate, 1108
fracture of pollack in water: effects of muscle processing and test temperature, 777
konjac flour as fat substitute in low-fat pork sausage, 484
matrix influence on hydrolysis of triglycerides by lipases, 424
method for measuring turbidity from milk whey protein, 769
monoacylglycerol production from butteroil by glycerolysis with entrapped lipase, 47

of rice globulin: comparison of properties with soybean and sesame globulins, 366
polymer and ion concentration effects on gellan strength and strain, 216
potassium bromate effects on forming ability of whiting surimi, 786
properties of whey protein concentrates as influenced by ionized Ca, 1115
protein additives in surimi, 525
rheological behavior and cross-linking of whiting surimi, 773
strength increased in surimi with blended phosphates, 246
strength of protein prepared with microbial transglutaminase related to reaction conditions, 866
temperature affects microstructure of renneted milk, 956

gelatin
starch effects on physical properties of mungbean noodles, 378

gelation
enhancement of soy protein isolate using maillard reaction and high temperature, 872
influence of thermal treatment on actomyosin from different myosytems, 211
of chicken gizzard myosin, 720
of myofibrillar protein: viscoelastic changes related to heating procedures, 734
of pea globulins, vicillin and legumin, 594
of surimi by high hydrostatic pressure, 523

gellan
polymer and ion concentration effects on gel strength and strain, 216

ginger
gingerol decreases after processing and storage of, 1338

gingerol
decreases after processing and storage of ginger, 1338

gizzard
heat-induced gelation of chicken myosin, 720

glass transition
caking and stickiness of dairy-based food powders as related to, 43
in concentrated semimoist food systems, 921

glazing
refreezing rate after affects cod and trout muscle tissue, 797

globulin
heat induced gelation of pea, 594
heat-induced gels of rice: comparison of gel properties with soybean and sesame, 366

glucan, (1-3),(1-4)—D
rheology of water soluble from milling fractions of oat, 1077

glucose
amylose to amylopectin ratio in pasta affects postprandial in males, 1144

gluten
thermal conductivity and diffusivity at extruder temperatures, 1244

glutenin
thermal conductivity and diffusivity at extruder temperatures, 1244

glycerol
inhibition of L monocytogenes by monolaurate with organic acids, 1258

glycerolysis
monoacylglycerol production from butteroil by, 47

grape
free and bound volatile secondary metabolites of Vitis vinifera cv. Sauvignon Blanc, 142

grapefruit
kinetic parameter estimation for quality change during thermal processing of juice, 155

grease
resistance of corn zein coated paper, 912

growth
promoting factors for Bifidobacterium longum, 189

gum
properties of pork nuggets with added, 742
sodium binding as measured by NMR spectroscopy influences perception of saltiness in solutions, 206

H

ham
pre-freezing affects lipolysis during dry curing, 303
thermal processing canned meat with sub-freezing initial temperatures: thermal and microbial validation, 693

hardness
of milkfat blend sucrose polyesters, 652

headspace
grade classification of pink salmon with volatile patterns, 507

heat transfer
at particle-liquid interface in continuous tube flow, 675

heating
actomyosin stabilization to denaturation by lactate salts, 101
affects L monocytogenes in ground pork, 30
D-alanine in fruit juices: a molecular marker of, 152
carp: actomyosin, thermal denaturation mechanism, 1002
carp sarcoplasmic reticulum changes due to, 80; cowpea tannin related to, 1034
emulsifying and bactericidal properties of protamine-galactomannan conjugate prepared by dry, 428
enzymatic treatments and thermal effects on edible soy protein films, 1332
gel strength increased in surimi with blended phosphates, 246
gelation of chicken gizzard myosin, 720; gelation of pea globulins, vicillin and legumin, 594
induced gels of rice globulin: comparison of gel properties with soybean and sesame globulins, 366
influence of thermal treatment on gelation of actomyosin from different myosystems, 211
methods for identifying injury to papaya, 855
microwave affects composition and oxidative stability of sesame oil, 613; microwave bumping: quantifying explosions in foods during, 899
myofibrillar protein gelation: viscoelastic changes related to, 734
parameters affecting destruction of Salmonella by microwave, 447
stability of lipoxygenases from barley, 885
thermal effects on protein quality of red kidney bean, 1187

heme
structure studies on nitrosyl derivative of, 57

hemoglobin
in beef and chicken muscle: chromatographic determination, 1279

hepatopancreatic extract
from crayfish improves flavor extractability from crab processing by-product, 91

herbs
thermoluminescence of inorganic dust from irradiated, 1070

herring (Clupea harengus)
quality of fish protein hydrolysates from, 76

histamine
copper chelation assay in tuna, 517
formation during malting and brewing, 1104
forming bacteria from anchovies, 998; in anchovies affected by time/temperature, 993
oxygen sensor based assay in fish using amine oxidase, 519

histology
of carrots frozen at programmed rate and thawed in electrostatic field, 1162

honeydew
shelf life of, 1202

humidity
packaging polymer films as aroma vapor barriers at different relative, 1328

hydrolysate
phospholipid effects on retrogradation of starch in bread, 1072
soy protein debittering by lysine acetylation, 1123
quality from herring, 76

hydrolysis
Candida and Pseudomonas lipase-catalyzed of butteroil, 1096
gel matrix influence on triglyceride by lipases, 424
kinetics of peanut flour, 621
of starch tailing effect on cookie spread, 1255

I

ice
modeling crystal coarsening in concentrated disperse food systems, 1227

image processing
extrudate characterization by, 1247

immunoglobulin
egg yolk Ab (IgY) stability in solution with high sugar concentrations, 763
stability of membrane-sterilized aseptically added to UHT milk, 757

IgY
egg yolk stability in solution with high sugar concentrations, 763

indicator
of time-temperature using phospholipid phospholipase system and application to storage of frozen pork, 490

infant formulas
relationship between lysine and carbohydrate composition of, 335

inhibition
of L monocytogenes by glycerol monolaurate with organic acids, 1258

inhibitors
sweetpotato amylases: characterization and kinetic studies with endogenous, 373

injury
intermittent warming reduces chilling of tomato, 1053
methods for identifying in heat-treated papaya, 855

inorganic dust
thermoluminescence from irradiated herbs and spices, 1070

insulin
amylose to amylopectin ratio in pasta affects postprandial in males, 1144

interface
convective heat transfer at particle-liquid in continuous tube flow, 675
initial tension and oil uptake by deep-fat fried foods, 804

invertase
activity in prickly pear fruit, 387

iodine
colorimetric assays for in food, 1135

ion
effects on gellan gel strength and strain, 216

iron
in swine rations affects nonheme and TBARS in pork skeletal muscle, 747
lipid oxidation and aroma in cooked ground pork from swine fed increasing levels of, 751

irradiation
affects microbiological and sensory quality of seafood, 85
effects on pepper starch viscosity, 118
quality maintenance of shredded carrots by, 359
thermoluminescence of inorganic dust from herbs and spices, 1070
water concentration/activity and loss of vitamin B1 and E in pork due to, 1291

J

jalapeno
firmness and cell wall characteristics of pepper affected by CaCl2 and acetic acid, 1184
provitamin A and ascorbic acid content of, 362

juice
D-alanine in fruit: a molecular marker of bacterial activity, heat treatments and shelf-life, 152
antibacterial activity of cabbage against lactic acid bacteria, 125
carrot color, carotenoids, and nonstarchy polysaccharides as affected by processing, 1155
citric acid and antimicrobials affect microbiological stability and quality of tomato, 130
color in ground beef patties, 465
degradation kinetics of anthocyanins in sour cherry, 1216
kinetic parameter estimation for quality change during thermal processing of grapefruit, 155
kiwifruit clarification using fungal proteolytic enzyme, 858
physical/chemical nature of pectin associated with orange cloud, 399
plum quality affected by enzyme treatment and fining, 1065

K

kilning
stability of lipoxygenases from barley, 885

kinetics
degradation of anthocyanins in sour cherry juice and concentrate, 1216
dynamics of crust formation and quality changes during frying of meatballs, 1275
estimation for quality change during thermal processing of grapefruit juice, 155
modeling ice crystal coarsening in concentrated disperse food systems, 1227
of acid hydrolysis of peanut flour, 621
of L. innocua in skim milk in continuous flow processing system, 960
of meat quality during beef carcass chilling, 291
of thermally preset alginate gels, 1108
shear induced starch conversion during extrusion, 1137
sweetpotato amylases: studies with endogenous inhibitors, 373

kiwifruit
juice clarification using fungal proteolytic enzyme, 858; shelf life of, 1202

konjac
flour gel as fat substitute in low-fat pork sausage, 484

L

laccase
in mushrooms, 824

lactate
actomyosin stabilization to freeze-thaw and heat denaturation by salts, 101
calcium: restructuring veal steaks with, 471

Lactobacillus plantarum
survival in olives, 1197

lactoglobulin, -
separation from whey protein isolate on large scale, 1111

lactose
crystallization of sucrose mixtures, 197; sensory characteristics of milk chocolate with from spray-dried milk powder, 1239

lamb
muscle characteristics and meat tenderness of cimaterol-fed, 33

leavening
dough pH determination by improved method, 1086
of dough by Zymomonas mobilis and application to breadmaking, 171

legume
reduction of stachyose in flours by lactic acid bacteria, 115

legumin
heat induced gelation of pea, 594

limonene
oxidation in presence of low density polyethylene, 402
sorption into polyethylene terephtalate bottles and washing effects on removal of sorbed compounds, 227

lipase
Candida and Pseudomonas catalyzed hydrolysis of butteroil in absence of organic solvents, 1096
gel matrix influence on hydrolysis of triglycerides by, 424
monoacylglycerol production from butteroil by glycerolysis with gel-entrapped microbial, 47

lipid
acclimation temperature affects carp muscle, 1009
determination in sunflower oil and water/meat/fat emulsions by NMR, 808
dietary tocopheryl acetate contributes to stability in cooked beef, 288
extraction from egg yolk using organic solvents: effects on functional properties of yolk, 766
influences on foam behavior of sparkling base wines, 148
metabolism in processed carrots, 597
oxidation in cooked ground pork from swine fed increasing levels of iron, 751
peroxidation in catfish muscle microsomes during storage, 251
soy protein isolate antioxidant effect on peroxidation of ground beef and microsomes, 702
stability of mackerel surimi prepared under stabilizing processing conditions, 269
stabilization in fish by freeze texturization, 88

lipolysis
pre-freezing hams affects during dry curing, 303

lipopolygenase
substrate specificity of mackerel, 504

lipoxygenase
from barley: heat and kilning stability, 885
packaging influence in broccoli, 1171

Listeria
innocua: inactivation kinetics in skim milk in continuous flow processing system, 960
monocytogenes: antimicrobial effect of CO2 on, 657; heating and storage conditions affect ground pork, 30; inhibition by glycerol monolaurate with organic acids, 1258; inhibition in vacuum packaged turkey bologna by chemical additives, 498; nonthermal inactivation models for, 179; survival model validated in uncooked fermented meat products for effects of nitrite and pH, 760

loaf
enzymes increase volume of bread supplemented with starch tailing and insoluble pentosans, 1251

lobster
activation mechanism of pro-phenoloxidase on melanosis in, 1024

lysine
relationship with carbohydrate composition of infant formulas, 335
soy protein hydrolysate debittering by acetylation of, 1123

M

maceration
of foliole puree from hearts of palm using RSM, 844

mackerel
stability of surimi prepared under lipid-stabilizing processing conditions, 269
substrate specificity of lipopolygenase, 504
thermostable water dispersions of myofibrillar proteins from, 265

magnetic resonance imaging (MRI)
determination of freezing effects in blueberry by, 571

magnetic treatment
of milk and surface treatment of plate heat exchangers: effects on milk fouling, 964

Maillard reaction
gelation enhancement of soy protein isolate using, 872

malt
concentrates and mixtures with sweetened condensed milk: moisture sorption isotherms, 1100

malting
biogenic amines formation during, 1104

mandarin fruit
molecular mass and solubility changes during storage, 578

mastication
textural changes in cheese during by progressive profiling, 539

mathematics
model for formation rate and collapse of foams from enzyme modified wheat flours, 626

maturation
activity of softening enzymes during cherry, 574
cowpea tannin related to, 1034
polyphenoloxidase, polyphenol and browning during soursop, 1050

meal
barrel-valve assembly affects twin-screw extrusion cooking of corn, 890

meat
assessment of sensory quality of sausages using NIR spectroscopy, 456
determination of water and lipid in water/fat emulsions by NMR, 808

meatballs
dynamics of crust formation and kinetics of quality changes during frying of, 1275

melanosis
activation mechanism of pro-phenoloxidase on in lobster, 1024; inhibitors to improve shelf life of brown shrimp, 242

melon
endoprotease from, 585; shelf life of honeydew and cantaloupe, 1202

meltability
Arnott test correlates with rheological properties for determining cheddar cheese, 970

melting
of milkfat blend sucrose polyesters, 652

membrane
emulsification of butteroil with milk-derived fraction, 53
lipid metabolism in processed carrots, 597

menhaden
oxidative stability and sensory quality of eggs from hens fed oil, 561

metabolism
of lipid in processed carrots, 597

metabolite
extraction and analysis of volatiles synthesized by lactic acid bacteria, 192
of Vitis vinifera grape cv. sauvignon blanc, 142

methanethiolsulfinate
S-methyl-L-cysteine sulfoxide as precursor of in cabbage, 350

methods/methodology
aflatoxin M1 in parmesan cheese: HPLC determination, 1313
application of high pressure for spore inactivation and protein denaturation, 159
Arnott test correlates with rheological properties for determining cheddar cheese meltability, 970
assay systems and characterization of whiting protease, 277
assessment of sensory quality of meat sausages using NIR spectroscopy, 456
caseinate at low temperatures: Ca use in casein extraction by microfiltration, 548
catalase test for endpoint temperature of heated chicken, 494
cholesterol and lipid extraction from egg yolk using organic solvents: effects on functional properties of yolk, 766
colorimetric assays for iodine in foods, 1135
concept matching technique for assessing importance of volatiles for cheddar cheese aroma, 981
copper chelation assay for histamine in tuna, 517
determination of freezing effects in blueberry by MRI, 571; of water and lipid in sunflower oil and water/meat/fat emulsions by NMR imaging, 808
energy catabolism in rabbit muscle as affected by brine injection: NMR studies, 1271
extraction of volatile compounds from aqueous solution using micro bubble, gaseous, supercritical and liquid CO2, 231
extrudate characterization by image processing, 1247
hemoglobin, myoglobin, and total pigments in beef and chicken muscles: chromatographic determination, 1279
hot-stage microscopy of cake batter bubbles during simulated baking: sucrose replacement by polydextrose, 168
HPLC: analysis of cheese aged by fast-ripening process, 528;
determination of 2,5-dimethyl-4-hydroxy-3(2H)-furanone and flavor compounds in strawberries, 139; determination of sugars and starch in green beans, 1048; of cheddar cheese for assessing accelerated cheese ripening, 533
identifying injury to vapor heat-treated papaya, 855
in situ preparation of fatty acid methyl esters for analysis of fatty acid composition in foods, 1262
lactoglobulin separation from whey protein isolate on large scale, 1111
leavened dough pH determination by improved, 1086
magnitude estimation of food acceptance, 1322; microbial populations and malolactic fermentation of apple cider using traditional and modified, 1060
measuring turbidity in gels and sols from milk whey protein, 769
microwave bumping: quantifying explosions in foods during microwave heating, 899
myofibrillar protein gelation: viscoelastic changes related to heating procedures, 734
oscillatory compared with continuous high pressure sterilization on B stearothermophilus spores, 164
oxygen sensor based assay of histamine in fish using amine oxidase, 519
processing affects sunflower pectin, 602
protein content in milk by NIR spectroscopy, 313
proton low-field NMR measurements on crackers, 1088
quantifying fracturability: fracture intensity distributions during compression of puffed corn meal extrudates, 617
rehydration for dry beans, 611
stabilization of lipids in fish by freeze texturization, 88
styrene and ethylbenzene migration from polystyrene into dairy products by dynamic purge-and-trap GC, 990
sucrose polyester content in food by colorimetry, 655
thermoluminescence of inorganic dust from irradiated herbs and spices, 1070
time-temperature indicator using phospholipid phospholipase system and application to storage of frozen pork, 490
tomatine purification and quantification in tomatoes by HPLC, 1211
uniaxial extensional viscosity during extrusion cooking from entrance pressure drop, 221

methyl esters
in situ preparation for analysis of fatty acid composition in foods, 1262

microbiology
aerobic counts in CO2 packed bass, 67
aflatoxin M1 in Parmesan cheese: HPLC determination, 1313
D-alanine in fruit juices: a molecular marker of bacterial activity, heat treatments and shelf-life, 152
antibacterial activity of cabbage juice against lactic acid bacteria, 12
antimicrobial effect of CO2 on L. monocytogenes, 657
application of high pressure for spore inactivation and protein denaturation, 159
bacteriological safety of swine carcasses treated with reconditioned water, 739
bioproduction of perillyl alcohol and monoterpenes by isolates of B stearothermophilus, 660
caffeic acid activity against C. botulinum spores, 905
calcium treatments affect storage quality of carrots, 106
Candida and Pseudomonas lipase-catalyzed hydrolysis of butteroil in absence of organic solvents, 1096
chemometric classification of tryptophan lots from B. amyloliquefaciens, 1131
citric acid and antimicrobials affect stability and quality of tomato juice, 130
dough-leavening by Zymomonas mobilis and its application to breadmaking, 171
emulsifying and bactericidal properties of protamine-galactomannan conjugate prepared by dry heating, 428
gram negative bacteria inhibition by lactic acid culture and food preservatives on catfish during storage, 513
growth-promoting factors for Bifidobacterium longum, 189
heating and storage conditions affect survival and recovery of L. monocytogenes in pork, 30
histamine, putrescine and cadaverine: formation in anchovies affected by time/temperature, 993; forming bacteria from anchovies, 998;
inactivation kinetics of L.innocua in skim milk in continuous flow processing system, 960
inhibition of L. monocytogenes by glycerol monolaurate with organic acids, 1258
intermittent warming reduces chilling injury and decay of tomato fruit, 1053
irradiation affects quality of seafood, 85
kiwifruit juice clarification using fungal proteolytic enzyme, 858
L. plantarum survival in olives, 1197
L. monocytogenes: inhibition in vacuum packaged turkey bologna by chemical additives, 498
nonthermal inactivation models for, 179
survival model validated in uncooked fermented meat products for effects of nitrite and pH, 760
S-methyl-L cysteine sulfoxide as precursor of methyl methanethiolsulfinate, principal antibacterial in cabbage, 350
monoacylglycerol production from butteroil by glycerolysis with gel-entrapped microbial lipase in microaqueous media, 47
of pork from carcasses treated with sanitizing sprays, 306
oscillatory compared with continuous high pressure sterilization on B stearothermophilus spores, 164
parameters affecting destruction of Salmonella by microwave heating, 447
pectinase activity of vegetable spoilage bacteria in modified atmosphere, 175
pigments of Monascus, 862
populations of apple cider using traditional and modified methods, 1060
properties: of liquid whitener from peanuts, 338; of pork as affected by acetic acid and temperature, 300

quantification of factors influencing nisin's inhibition of C. botulinum in model food system, 663
reduction of stachyose in legume flours by lactic acid bacteria, 115
S. typhimurium attached to chicken skin reduced using electrical stimulation and inorganic salts, 23
sodium lactate affects pathogens in cooked beef, 15
sorbent extraction and analysis of volatile metabolites synthesized by lactic acid bacteria, 192
sourdoughs influence acidification and breadmaking potential of wheat dough, 629
stability in concentrated/semimoist systems, 921
steam surface pasteurization of beef frankfurters, 1
strength of protein gels prepared with transglutaminase related to reaction conditions, 866
thermal processing canned meat with sub-freezing initial temperatures, 693
TSP treatment of beef surfaces to reduce E. coli and S. typhimurium, 20

microfiltration
caseinate at low temperatures: Ca use in casein extraction by, 548

microscopy
of cake batter bubbles during simulated baking: sucrose replacement by polydextrose, 168
TEM: microstructure of frankfurters extended with wheat germ proteins, 474

microsome
acclimation temperature affects activities of 5'-nucleotidase and acid phosphatase and lipid and fatty acid composition in carp muscle, 1009
lipid peroxidation and chemical changes in catfish muscle during storage, 251
soy protein isolate antioxidant effect on lipid peroxidation of, 702

microstructure
of cooked squid mantle, 792
of frankfurters extended with wheat germ proteins, 474
temperature affects renneted milk gel, 956

microwave
bumping: quantifying explosions in foods during heating, 899
heating affects composition and oxidative stability of sesame oil, 613
parameters affecting destruction of Salmonella by heating, 447

migration
of styrene and ethylbenzene from polystyrene into dairy products by GC, 990

milk
breaking stress and syneresis of rennin curds from skim, 952
emulsification of butteroil with -derived membrane and protein fractions, 53
functions of added Ca in acid coagulation, 310
inactivation kinetics of L innocua in skim, 960
magnetic treatment of: effects on fouling, 964
malt concentrates and mixtures with sweetened condensed: moisture sorption isotherms, 1100
method for measuring turbidity in gels and sols from whey protein, 769
physical properties of encapsulated spray-dried fat, 316
properties of edible films from protein, 909
protein content in by NIR spectroscopy, 313
sensory characteristics of chocolate with lactose from spray-dried powder, 1239
stability of membrane-sterilized Ig aseptically added to UHT, 757
temperature affects microstructure of renneted gel, 956

milkfat
melting and hardness of blend sucrose polyesters, 652
physical properties of encapsulated spray-dried, 316
sucrose polyesters as fat substitutes in Cheddar-type cheese, 326

milling
rheology of water-soluble glucans from fractions of oat, 1077

mixing
low-fat, high-moisture frankfurters: effects of temperature and water during, 937

models/modeling
bread quality of wheat flour by NIR spectrophotometry: feasibility of, 410
crosslinking kinetics of thermally preset alginate gels, 1108
dynamics of crust formation and kinetics of quality changes during frying of meatballs, 1275
formation rate and collapse of foams from enzyme modified wheat flours, 626
for predicting transient temperaure during sterilization of food product, 441
Fynbo cheese NaCl and KCl changes during ripening, 972
ice crystal coarsening in concentrated disperse food systems, 1227
L. monocytogenes survival validated in fermented meat for effects of nitrite and pH, 760
nonthermal inactivation for L. monocytogenes, 179
quantification of factors influencing nisin's inhibition of C. botulinum in food system, 663
NaCl and KCl movement in fynbo cheese during salting, 976

moisture
effects: of temperature and water during extended mixing in frankfurters, 937; on physical properties of mungbean noodles, 378
malt concentrates and mixtures with sweetened condensed milk: sorption isotherms, 1100

molecular mass
changes in pectins during storage of satsuma mandarin fruit, 578

molecular rearrangement
of acid-treated starches, 637

Monascus
pigments of, 862

monoacylglycerol
production from butteroil by glycerolysis with lipase, 47

monolaurate
inhibition of L monocytogenes by glycerol with organic acids, 1258

monosodium glutamate (MSG)
flavor modification by, 682

monoterpenes
bioproduction by B. stearothermophilus, 660

mungbean
process variables, gelatinized starch and moisture effects on physical properties of noodles, 378

muscle
acclimation temperature affects activities of 5'-nucleotidase and acid phosphatase and lipid and fatty acid composition in carp microsomes, 1009
beef characteristics affected by rigor, tenderization and CaCl2 injection, 295
capillary zone electrophoresis of fish sarcoplasmic proteins, 1267
characteristics of cimaterol-fed lambs, 33
dietary iron in swine rations affects nonheme iron and TBARS in pork skeletal, 747
energy catabolism in rabbit as affected by brine injection: NMR studies, 1271
fracture of pollack gels in water: effects of processing and test temperature, 777
hemoglobin, myoglobin, and pigments in beef and chicken: chromatographic determination, 1279
lipid peroxidation and chemical changes in catfish microsomes during storage, 251
refreezing rate after glazing affects cod and trout, 797
thermostable proteinase in anchovy, 781
tocopherol deposition in salmon, 256

mushrooms
enzymatic browning control in minimally processed, 1042
tyrosinase, laccase and peroxidase in Agaricus, Crimini, Oyster and Shitake, 824

myofibrils
protein gelation: viscoelastic changes related to heating procedures, 734

myoglobin
in beef and chicken muscle: chromatographic determination, 1279

myosin
fish fragments solubility and fluorescence intensity affected by butanol, 97
heat-induced gelation of chicken gizzard, 720

myosystems
influence of thermal treatment on gelation of actomyosin from, 211

myrcene
sorption into polyethylene terephtalate bottles and washing effects on removal of sorbed compounds, 227

N

nicotinamide
pink color development in turkey meat as affected by, 1283

NIR
assessment of sensory quality of meat sausages using spectroscopy, 456

nisin
quantification of factors influencing inhibition of C botulinum in model food system, 663

nitrite
L. monocytogenes survival model validated in fermented meat for effects of, 760

nitrogen
effect on anthocyanin from strawberry cell suspension cultures, 588

nitrosyl
studies on derivative of heme, 57

noodles
process variables, gelatinized starch and moisture effects on physical properties of mungbean, 378

nuclear magnetic resonance (NMR)
determination of water and lipid in sunflower oil and water/meat/fat emulsions by, 8
energy catabolism in rabbit muscle as affected by brine injection, 1271
measurements on crackers, 1088

nucleotidase, 5'-
acclimation temperature affects activity in carp muscle, 1009

O

oat
high-protein flour functionality assessment in bread and sausage, 1081
rheology of water-soluble glucans from milling fractions of, 1077

oil
determination of water and lipid in sunflower by NMR, 808
flavor interactions with fat replacers: effect of level, 813
high-monounsaturated used for pork fat in sausage, 933
microwave heating affects composition and oxidative stability of sesame, 613
oxidative stability and sensory quality of eggs from hens fed menhaden, 561
perception of taste and viscosity of water emulsions, 1318
unhydrogenated palm as stabilizer for peanut butter, 816
uptake by deep-fat fried foods, 804
vegetable replace pork backfat for low-fat frankfurters, 725

oligosaccharide
of dry beans as affected by processing, 833

olives
cell wall composition of, 1192; L. plantarum survival in, 1197

onions
quality changes in diced stored in film packages, 110

optimization
enzymatic maceration of foliole puree from hearts of palm using RSM, 844
thermal process for white beans in water cascading retorts, 828

orange
physical/chemical nature of pectin associated with juice cloud, 399

organics
Candida and Pseudomonas lipase catalyzed hydrolysis of butteroil in absence of solvents, 1096

oscillation
compared with continuous high pressure sterilization on B. stearothermophilus spores, 164

oxidation
changes of heat-sterilized meat in trays, 689
dietary tocopheryl acetate contributes to lipid stability in cooked beef, 288
microwave heating affects sesame oil, 613
of eggs from hens fed menhaden oil, 561
of limonene in presence of low density polyethylene, 402
of lipid in cooked ground pork from swine fed increasing levels of iron, 751
stability in pecans: chemical, physical and sensory measurements, 1234

oxygen
sensor based assay of histamine in fish using amine oxidase, 519

P

packaging
aerobic counts, color and adenine nucleotide changes in CO2 refrigerated bass, 67
Camembert cheese water loss through absorbent, 986
color changes of chicken leg patties due to, 26
controlled CO2 atmosphere of retail ready pork, 1296
influenced chlorophyll, soluble protein, fatty acid composition and lipoxygenase activity in broccoli, 1171
L. monocytogenes inhibition in turkey bologna by chemical additives, 498
limonene and myrcene sorption into refillable polyethylene terephtalate bottles, and washing effects on removal of sorbed compounds, 227
oxidative changes of heat-sterilized meat in trays, 689
partitioning and flavor threshold interactions of aliphatic food solvent homologs in high-fat cookies, 420
polymer films as aroma vapor barriers at different relative humidities, 1328
quality changes in diced onions stored in film, 110
shelf life: evaluation of cling peaches in retort pouches, 849; of tilapia in high barrier film with modified atmosphere, 260
to maintain direct-set cottage cheese quality, 1305

palm
hearts of: optimizing enzymatic maceration of foliole puree from using RSM, 844
unhydrogenated oil as stabilizer for peanut butter, 816

papaya
methods for identifying injury to vapor heat-treated, 855
shelf life of, 1202

paper
grease resistance of corn zein coated, 912

partitioning
of food packaging solvent homologs in high-fat cookies, 420

pasta
amylose to amylopectin ratio affects postprandial glucose and insulin response and satiety in males, 1144

paste
flow properties of canola seed, 1091
potato starch behavior related to physical properties, 644

pasteurization
firmness and cell wall characteristics of jalapeno pepper affected by CaCl2 and acetic acid, 1184
of beef frankfurters, 1

pathogens
sodium lactate affects cooked beef, 15

pea
dielectric properties of puree as function of temperature, 121
heat induced gelation of globulins, vicillin and legumin, 594
physicochemical properties of starches in field, 634

peaches
shelf life evaluation in retort pouches, 849

peanuts
extract and emulsifier concentrations affect sensory and physical properties of liquid whitener, 344
kinetics of acid hydrolysis of flour, 621
quality affected by supercritical fluid extraction, 382
sensory, physical and microbiological properties of liquid whitener from, 338

peanut butter
quality affected by supercritical fluid extraction, 382;
unhydrogenated palm oil as stabilizer for, 816

pecans
oxidative stability in: chemical, physical and sensory measurements, 1234

pectin
beet physicochemical properties as related to freezing, 1153
cultivar/location and processing methods affect yield and quality of sunflower, 602
in ripening cherry fruit, 389
molecular mass and solubility changes during storage of satsuma mandarin fruit, 578
physical/chemical nature of associated with orange juice cloud, 399
sunflower head residue extraction affected by physical conditions, 1207

pectinase
activity of vegetable spoilage bacteria in modified atmosphere, 175

peel
potato waste: stability and antioxidant activity of freeze-dried extract, 1031

pentosans
enzymes increase loaf volume of bread supplemented with starch, 1251

pepper
firmness and cell wall characteristics of jalapeno affected by CaCl2 and acetic acid, 1184
irradiation effects on starch viscosity, 118
provitamin A and ascorbic acid content of, 362

peptone
proteose affect foaming of whey protein isolate, 554

perception
of taste and viscosity of oil-in-water and water-in-oil emulsions, 1318

perillyl alcohol
bioproduction by B stearothermophilus, 660

permeability
changes in processed carrots, 597
fatty acid concentration effect on water vapor of laminated edible films, 916
plasticized whey protein edible films: water vapor properties, 416

peroxidase
in mushrooms, 824

peroxidation
of lipid in catfish muscle microsomes during storage, 251
soy protein isolate antioxidant effect on lipid of ground beef, 702

pH
affect rheological properties of Mozzarella cheese, 1302
affects transglutaminase-catalyzed setting of fish actomyosin, 1018
carrageenans in beaker sausage affected by, 946
leavened dough determination by improved method, 1086
L. monocytogenes survival model validated in fermented meat for effect of, 760

phase behavior
of tripalmitin/butterfat mixtures, 321

phenolics
in potato peel extract: extraction, identification and degradation, 649
quantitation and distribution in blueberries, 1057

phenoloxidase
activation mechanisms of on melanosis development in lobster, 1024

phosphate
characteristics of lean beef German sausages varying in, 453
gel strength increased in surimi with, 246; restructuring veal steaks with, 471

phospholipase
time-temperature indicator using phospholipid system and application to storage of pork, 490

phospholipid
hydrolysate effects on retrogradation of starch in bread, 1072
time-temperature indicator using phospholipase system and application to storage of pork, 490

phosphopeptide
from comte cheese, 544

pigment
anthocyanin: comparison of extract stability, 1219
beef and chicken muscle: chromatographic determination, 1279
color characteristics and stability of nonbleeding cocktail cherries with carotenoid, 135
of Monascus, 86

pineapple
shelf life of, 1202

plate heat exchangers
effects on milk fouling, 964

plum
juice quality affected by enzyme treatment and fining, 1065

pollack
fracture of gels in water: effects of muscle processing and test temperature, 777

polydextrose
hot-stage microscopy of cake batter bubbles during simulated baking: sucrose replacement by, 168

polyester
melting and hardness of milkfat blend sucrose, 652
sucrose content in food by colorimetric method, 655

polyethylene
oxidation of limonene in presence of low density, 402

polyethylene terephtalate
limonene and myrcene sorption into bottles, 227

polymer
effects on gellan gel strength and strain, 216
films as aroma vapor barriers at different relative humidities, 1328
structure and cohesive energy density of fats and their sorption by films, 1325

polyphenol
during soursop maturation, 1050

polyphenoloxidase
activity during soursop maturation, 1050

polysaccharide
of carrot juice affected by processing, 1155

polystyrene
styrene and ethylbenzene migration from into dairy products by GC, 990

pomace
dried apple as potential food ingredient, 1213

pork
antioxidative fat replacer and high-monounsaturated oil used in sausage, 933
bacteriological safety of carcasses treated with reconditioned water, 739
controlled CO2 atmosphere packaging of retail ready, 1296
dietary iron in swine rations affects nonheme iron and TBARS in skeletal muscle, 747
heating and storage affects L. monocytogenes in, 30
konjac flour gel as fat substitute in low-fat sausage, 484
lipid oxidation and aroma in cooked ground from swine fed increasing levels of iron, 751
microbial and quality characteristics from carcasses treated with sanitizing sprays, 306
microbiological properties affected by acetic acid and temperature, 300
oxidative changes of heat-sterilized meat in trays, 689
pre-freezing hams affects lipolysis during dry curing, 303
properties of nuggets with added gums and starches, 742
spray-dried soymilk used in reduced fat sausage, 1286
time-temperature indicator using phospholipid phospholipase system and application to storage, 490
vegetable oils replace backfat for low-fat frankfurters, 725
water concentration/activity and loss of vitamin B1 and E due to gamma radiation, 1291

potassium
bromate: effects on gel-forming ability of whiting surimi, 786
chloride: changes during ripening of Fynbo cheese, 972; movement in Fynbo cheese during salting, 976

potato
high pressure and freezing pretreatment effects on drying, rehydration, texture and color of, 1168
peel waste: stability and antioxidant activity of freeze-dried extract, 1031
phenolics in peel extract: extraction, identification and degradation, 649
starch paste behavior related to physical properties, 644
sweet: amylases: characterization and kinetic studies with endogenous inhibitors, 373; physical and sensory properties of puree texturized with cellulose derivatives, 1175

pouches
shelf life evaluation of cling peaches in retort, 849

powders
caking and stickiness of dairy-based as related to glass transition, 43
sensory characteristics of milk chocolate with lactose from spray-dried milk, 1239

preservatives
gram negative bacteria inhibition by on catfish during storage, 513

pressure
effects on drying, rehydration, texture and color of green beans, carrots and potatoes, 1168
gelation of surimi by hydrostatic, 523
oscillatory compared with continuous high on B. stearothermophilus spores, 164
spore inactivation and protein denaturation, 159
uniaxial extensional viscosity during extrusion cooking from, 221

pretreatment
high pressure and freezing effects on drying, rehydration, texture and color of green beans, carrots and potatoes, 1168

prickly pear
sugar composition and invertase activity in, 387

processing
affects physical and sensory characteristics of ground beef, 707
carrot juice color, carotenoids, and nonstarchy polysaccharides affected by, 1155
convective heat transfer at particle-liquid interface in continuous tube flow, 675
crayfish hepatopancreatic extract improves flavor extractability from crab by-product, 91
enzymatic browning control in mushrooms, 1042
fracture of pollack gels in water: effects of, 777
gingerol decreases in ginger after, 1338
inactivation kinetics of L. innocua in skim milk in continuous flow, 960
membrane lipid metabolism, cell permeability and ultrastructural changes in carrots, 597
methods affect sunflower pectin, 602
oligosaccharides, antinutritional factors, and protein digestibility of dry beans as affected by, 833
residence time distribution of multiple particles in non-Newtonian holding tube flow: statistical analysis, 1314
shelf life of honeydew, kiwifruit, papaya, pineapple and cantaloupe, 1202
stability of mackerel surimi prepared under lipid-stabilizing conditions, 269
steam treatment of carrots to control surface discoloration, 356
surimi production from whiting, 272;
thermal: affects shrimp and scallops, 237; canned meat with sub-freezing initial temperatures: thermal and microbial validation, 693; for white beans in water cascading retorts, 828; kinetic parameter estimation for quality change during of grapefruit juice, 155
variables on physical properties of mungbean noodles, 378

profiling
analysis of textural changes in cheese during mastication by progressive, 539

protamine
emulsifying and bactericidal properties of galactomannan conjugate, 428

protease
assay systems and characterization of whiting, 277
food protein nutrient improvement by, 876

protein
additives in surimi gels, 525
application of high pressure for denaturation, 159
capillary zone electrophoresis of fish muscle sarcoplasmic, 1267
changes in on extrusion of corn starch and sunflower blends, 436
content in milk by NIR spectroscopy, 313
degradation of whiting surimi by cathepsin, 1013
digestibility of dry beans as affected by processing, 833
emulsification of butteroil with milk-derived fraction, 53
enzymatic treatments and thermal effects on soy films, 1332
functional properties of rapeseed isolates, 1127
gel properties of whey concentrates as influenced by ionized Ca, 1115
gelation enhancement of soy isolate using maillard reaction and high temperature, 872
lactoglobulin separation from whey isolate, 1111
method for measuring turbidity in gels and sols from milk whey, 769
microstructure of frankfurters extended with wheat germ, 474

myofibrillar gelation: viscoelastic changes related to heating procedures, 734
nutrient improvement by protease at reduced water activity, 876
oat flour functionality assessment in bread and sausage, 1081
packaging influence in broccoli, 1171
plasticized whey edible films: water vapor permeability properties, 416
properties of edible films from total milk, 909; protease peptones and physical factors affect foaming of whey, 554
quality of hydrolysates from herring, 76
soy hydrolysate debittering by lysine acetylation, 1123
soy isolate antioxidant effect on lipid peroxidation of ground beef and microsomal lipids, 702
strength of gels prepared with microbial transglutaminase related to reaction conditions, 866
surface properties and emulsification of soy, 606
thermal effects on quality of red kidney beans, 1187
thermostable water dispersions from mackerel, 265
whey layers influence solute rejection in RO, 1119

proteinase
in anchovy muscle, 781

protease
peptones affect foaming of whey protein isolate, 554

provitamin A
content of pepper cultivars and jalapenos, 362

Pseudomonas
lipase-catalyzed hydrolysis of butteroil in absence of organic solvents, 1096

puffing
volume expansion of fat-free snack, 641

puree
optimizing enzymatic maceration of foliole from hearts of palm using RSM, 844

purification
of endoprotease from melon, 585 of tomatine and quantification in tomatoes by HPLC, 1211

putrescine
forming bacteria from anchovies, 998
in anchovies affected by time/temperature, 993

Q

quality
assessment of meat sausages using NIR spectroscopy, 456
calcium treatments affect storage of carrots, 106
changes during frying of meatballs, 1275
changes during refrigerated storage of catfish, 64; in diced onions stored in film packages, 110
citric acid and antimicrobials affect tomato juice, 130
cultivar/location and processing methods affect sunflower pectin, 602
edible coating effects on tomatoes, 568
improvements in canned blueberry, 394
irradiation affects seafood, 85
kinetic parameter estimation for change during thermal processing of grapefruit juice, 155
kinetics during beef carcass chilling, 291
maintenance of shredded carrots by irradiation, 359
modified atmosphere packaging to maintain direct-set cottage cheese, 1305
of aquacultured bass as affected by dietary fatty acids, 70
of eggs from hens fed menhaden oil, 561
of fish protein hydrolysates from herring, 76
of pork from carcasses treated with sanitizing sprays, 306
of wheat flour by NIR spectrophotometry: feasibility of modeling, 410
peanuts and peanut butter affected by supercritical fluid extraction, 382
plum juice affected by enzyme treatment and fining, 1065
reindeer steak as affected by antioxidants and frozen storage, 716
thermal effects on protein of red kidney beans, 1187

R

rabbit
energy catabolism in muscle as affected by brine injection: NMR studies, 1271

rancidity
in catfish fillets, 60

rapeseed
functional properties of protein isolates, 1127

refrigeration
color changes of chicken leg patties due to, 26

rehydration
high pressure and freezing pretreatment effects on green beans, carrots and potatoes, 1168
low temperature blanching affects cauliflower, 1181
method for dry beans, 611

reindeer
steak quality as affected by antioxidants and frozen storage, 716

rennet
temperature affects microstructure of milk gel, 956

rennin
breaking stress and syneresis of curds from skim milk concentrate, 952

residence time
distribution of multiple particles in non-Newtonian holding tube flow: statistical analysis, 1314

residue
sunflower head pectin extraction affected by physical conditions, 1207

response surface methodology
optimizing the enzymatic maceration of foliole puree from hearts of palm using, 844
unhydrogenated palm oil as stabilizer for peanut butter, 816

restructuring
veal steaks with salt/phosphate and Na alginate/Ca lactate, 471

retort
shelf life evaluation of cling peaches in pouches, 849
thermal process for white beans in water cascading, 828

retrogradation
phospholipid hydrolysate and antistaling amylase effects on starch in bread, 1072

reverse osmosis
breaking stress and syneresis of rennin curds from skim milk concentrate, 952
whey protein layers influence solute rejection in, 1119

reverse screw elements
shear conversion of corn meal by during twin-screw extrusion at low temperatures, 113

rheology
correlates with Arnott test for determining cheddar cheese meltability, 970
flow properties of canola seed pastes, 1091
influence of thermal treatment on gelation of actomyosin from different myosystems, 211
myofibrillar protein gelation: viscoelastic changes related to heating procedures, 734
of cooked squid mantle, 792
of water-soluble glucans from milling fractions of oat, 1077
of whiting surimi gel, 773
pH and storage affect Mozzarella cheese, 1302
temperature and pH affects transglutaminase-catalyzed setting of fish actomyosin, 1018

rice
bioavailability of vitamin A in synthetic premix, 371
heat-induced gels of globulin: comparison of gel properties with soybean and sesame globulins, 366

rigor
beef characteristics affected by, 295

ripening
dynamic headspace analysis of volatiles ofCcheddar and Swiss cheese during, 1309
Fynbo cheese NaCl and KCl changes during, 972
HPLC analysis of cheese aged by, 528; HPLC of cheddar cheese for assessing, 533
pectin in cherry fruit, 389

roasting
effects on dietary fiber composition of cocoa beans, 123

S

safety
of carcasses treated with reconditioned water, 739

salmon
grade classification with static headspace volatile patterns, 507;
tocopherol deposition in muscle of, 256

Salmonella
parameters affecting destruction by microwave heating, 447
typhimurium: attached to chicken skin reduced using electrical stimulation and inorganic salts, 23
TSP treatment of beef surfaces to reduce, 20

salt
actomyosin stabilization to freeze-thaw and heat denaturation by lactate, 101
effect on bologna and beaker sausage, 941
flavor modification by, 682
restructuring veal steaks with, 471
S. typhimurium attached to chicken skin reduced using inorganic, 23

saltiness
sodium binding as measured by NMR spectroscopy influences gum solutions, 206

salting
movement of NaCl and KCl in Fynbo cheese during, 976

sanitizers
microbial and quality characteristics from pork carcasses treated with, 306

sarcoplasmic reticulum
changes due to heat treatment of carp, 80

satiety
amylose to amylopectin ratio in pasta affects in males, 1144

satsuma
molecular mass and solubility changes during storage, 578

sausage
antioxidative fat replacer and high-monounsaturated oil used for pork fat in, 933
assessment of sensory quality using NIR spectroscopy, 456
carrageenans affected by pH and STPP, 946
characteristics of varying in phosphate and added water, 453
effects of carrageenans and chloride salts on beaker, 941
high-protein oat flour functionality assessment in, 1081
konjac flour gel as fat substitute in low-fat pork, 484
spray-dried soymilk used in reduced fat pork patties, 1286

Sauvignon Blanc
free and bound volatile secondary metabolites of Vitis vinifera grape, 142

scallops
thermal processing affects, 237

screw
configuration effects on corn starch expansion during extrusion, 895

seafood
acclimation temperature affects activities of 5'-nucleotidase and acid phosphatase and lipid and fatty acid composition in carp muscle microsomes, 1009
activation mechanisms of pro-phenoloxidase on melanosis development in lobster, 1024
actomyosin stabilization to freeze-thaw and heat denaturation by lactate salts, 101
aerobic counts, color and adenine nucleotide changes in CO2 packed refrigerated bass strips, 67
analog: whitefish potentials for fabrication of, 501
assay systems and characterization of whiting protease, 277
capillary zone electrophoresis of fish muscle sarcoplasmic proteins, 1267
carcass characteristics of catfish and quality changes during refrigerated storage, 64
carp: actomyosin, thermal denaturation mechanism, 1002; sarcoplasmic reticulum changes due to heat treatment, 80
composition and quality of aquacultured bass as affected by dietary fatty acids, 70
crayfish hepatopancreatic extract improves flavor extractability from crab processing by-product, 91
degradation of whiting surimi proteins by cathepsin, 1013
fish myosin fragments solubility and ANS-fluorescence intensity affected by butanol, 97
fracture of pollack gels in water: effects of muscle processing and test temperature, 777
gel strength increased in surimi with blended phosphates, 246
gelation of surimi by high hydrostatic pressure, 523
grade classification of pink salmon with static headspace volatile patterns, 507
gram negative bacteria inhibition by lactic acid culture and food preservatives on catfish fillets during refrigerated storage, 513
inhibition of L. monocytogenes by glycerol monolaurate with organic acids, 1258
irradiation affects microbiological and sensory quality of sub-tropical, 85
lactic acid/melanosis inhibitors to improve shelf life of brown shrimp, 242
lipid peroxidation and chemical changes in catfish muscle microsomes during storage, 251
microstructural and rheological properties of cooked squid mantle, 792
oxygen sensor based assay of histamine using amine oxidase, 519
potassium bromate effects on gel-forming ability of whiting surimi, 786
protein additives in surimi gels, 525
quality of fish protein hydrolysates from herring, 76
rancidity in catfish fillets, 60;
refreezing rate after glazing affects cod and trout muscle tissue, 797
rheological behavior and cross-linking of whiting surimi gel, 773
shelf life of tilapia packaged in high barrier film, 260
solids extraction of cod and effects on ultrafiltration of aqueous extract, 799
stability of mackerel surimi prepared under lipid-stabilizing processing conditions, 269
stabilization of lipids in fish by freeze texturization, 88
substrate specificity of mackerel lipopolygenase, 504
surimi production from whiting, 272
temperature and pH affect transglutaminase-catalyzed setting of fish actomyosin, 1018
thermal processing affects shrimp and scallops, 237
thermostable proteinase in salted anchovy muscle, 781
thermostable water dispersions of myofibrillar proteins from mackerel, 265
tocopherol deposition in muscle of salmon, 256; whitefish potentials for fabrication of texturized analogs, 501

sensory evaluation
analysis of textural changes in cheese during mastication by progressive profiling, 539
antioxidative fat replacer and high-monounsaturated oil used for pork fat in sausage, 933
assessment of quality of meat sausages using NIR spectroscopy, 456
beef muscle characteristics affected by rigor, tenderization and CaCl2 injection, 295
calcium fortified, reduced fat beef emulsion product, 928
carcass characteristics of catfish and quality changes during refrigerated storage, 64
characteristics of lean beef German sausages varying in phosphate and added water, 453
Cheddar cheese aging: changes in, 328
composition and quality of aquacultured bass as affected by dietary fatty acids, 70
concept matching technique for assessing importance of volatiles for Cheddar cheese aroma, 981
crayfish hepatopancreatic extract improves flavor extractability from crab processing by-product, 91
diacetyl as flavor component in full fat cottage cheese, 38
dried apple pomace as potential food ingredient, 1213
edible coating effects on storage life and quality of tomatoes, 568
endpoint temperature, internal cooked color, and juice color in ground beef patties, 465
fat level, high temperature cooking and degree of doneness affects beef patties, 10
flavor: interactions with fat replacers: effect of oil level, 813; modification by NaCl and MSG, 682
frozen dessert attribute changes with increased amount of unsaturated fatty acid, 1222
high-protein oat flour functionality assessment in bread and sausage, 1081
hot processed raw materials and fat level affects ground beef, 707
HPLC of cheese aged by fast ripening, 528
improvements in canned blueberry quality, 394
irradiation affects quality of seafood, 85
konjac flour gel as fat substitute in low-fat prerigor fresh pork sausage, 484
lipid oxidation and warmed-over aroma in cooked ground pork from swine fed increasing levels of iron, 751
low temperature blanching affects firmness and rehydration of cauliflower, 1181
low-fat, high-moisture frankfurters: effects of temperature and water during extended mixing, 937
magnitude estimation of food acceptance, 1322
microbial and quality characteristics of pork from carcasses treated with sanitizing sprays, 306
modified atmosphere packaging to maintain direct-set cottage cheese quality, 1305
muscle characteristics and meat tenderness of cimaterol-fed lambs, 33
of eggs from hens fed menhaden oil, 561
of liquid whitener from peanuts, 338
of milk chocolate with lactose from spray-dried milk powder, 1239
of sweetpotato puree texturized with cellulose derivatives, 1175
oxidative stability in pecans, 1234
peanut extract and emulsifier concentrations affect liquid whitener, 344
peanuts and peanut butter quality are affected by supercritical fluid extraction, 382
perception of taste and viscosity of oil-in-water and water-in-oil emulsions, 1318
pink color development in turkey meat as affected by nicotinamide, cooking temperature, chilling rate, and storage time, 1283
plum juice quality affected by enzyme treatment and fining, 1065
properties of low-fat nonbreaded pork nuggets with added gums and modified starches, 742
quality: maintenance of shredded carrots by irradiation, 359; of fish protein hydrolysates from herring, 76
refreezing rate after glazing affects cod and trout muscle tissue, 797
reindeer steak quality as affected by antioxidants and frozen storage, 716
restructuring veal steaks with salt/phosphate and Na alginate/Ca lactate, 471
shelf life evaluation of cling peaches in retort pouches, 849
shelf life of honeydew, kiwifruit, papaya, pineapple and cantaloupe, 1202
sodium binding as measured by NMR spectroscopy influences perception of saltiness in gum solutions, 206
soy protein hydrolysate debittering by lysine acetylation, 1123
storage stability of low-fat ground beef made with lower value cuts of beef, 6
textural properties of chicken frankfurters with added collagen fibers, 729
ultrasonic spectral analysis for beef, 697

sesame
heat-induced gels of rice globulin: comparison of gel properties with, 366
microwave heating affects composition and oxidative stability of oil, 613

shear
conversion of corn meal by reverse screw elements during twin-screw extrusion at low temperatures, 113
induced starch conversion during extrusion, 1137

shrimp
lactic acid/melanosis inhibitors to improve shelf life of, 242
thermal processing affects, 237

snack food
volume expansion during hot air puffing of fat-free, 641

soaking
rehydration methods for dry beans, 611

sodium
binding as measured by NMR spectroscopy influences perception of saltiness in gum solutions, 206
chloride: affects yield and texture of beef rolls, 282
changes during ripening of Fynbo cheese, 972

flavor modification by, 682; movement in Fynbo cheese during salting, 976
citrate: formation and stability of solid solutions, 1341
lactate: affects pathogens in cooked beef, 15
tripolyphosphate (STPP): carrageenans in beaker sausage affected by, 946

softening
activity of enzymes during cherry maturation, 574

sol
method for measuring turbidity from milk whey protein, 769

solids
extraction of cod and effects on ultrafiltration of aqueous extract, 799

solubility
changes in pectins during storage of satsuma mandarin fruit, 578
of fish fragments affected by butanol, 97

solute
whey protein layers influence rejection in RO, 1119

solvent
Candida and Pseudomonas lipase catalyzed hydrolysis of butteroil in absence of organic, 1096
cholesterol and lipid extraction from egg yolk using organic: effects on functional properties of yolk, 766
partitioning and flavor threshold interactions of aliphatic food packaging homologs in high-fat cookies, 420

sorbent
extraction and analysis of volatile metabolites synthesized by lactic acid bacteria, 192

sorption
of fat by polymer film, 1325
of limonene and myrcene into polyethylene terephtalate bottles and washing effects on removal of sorbed compounds, 227

sorption isotherms
malt concentrates and mixtures with sweetened condensed milk, 1100

sourdough
influence acidification and breadmaking potential of wheat dough, 629

soursop (Annona muricata)
polyphenoloxidase activity, polyphenol and browning during maturation, 1050

soy/soybean
enzymatic treatments and thermal effects on protein films, 1332
gelation enhancement of protein isolate using Maillard reaction and high temperature, 872
heat-induced gels of rice globulin: comparison of gel properties with, 366
protein hydrolysate debittering by lysine acetylation, 1123
protein isolate antioxidant effect on lipid peroxidation of ground beef and microsomal lipids, 702
surface properties and emulsification of proteins, 606

soymilk
used in reduced fat pork sausage, 1286

spectroscopy
assessment of sensory quality of meat sausages using NIR, 456

NIR: bread quality of wheat flour by: feasibility of modeling, 410;
protein content in milk by, 313

NMR: energy catabolism in rabbit muscle as affected by brine
injection, 1271; measurements on crackers, 1088; sodium binding influences perception of saltiness in gum solutions, 206

spices
thermoluminescence of inorganic dust from irradiated, 1070

spoilage
pectinase activity of bacteria in modified atmosphere, 175

spray drying
physical properties of encapsulated milkfat, 316
sensory characteristics of milk chocolate with lactose from milk powder, 1239
soymilk used in reduced fat pork sausage, 1286

sprays
microbial and quality characteristics of pork from carcasses treated with sanitizing, 306

spread
acid hydrolyzed starch tailings effects on cookie, 1255

squid
microstructural and rheological properties of, 792

stability
anthocyanin pigments: comparison of extract, 1219
citric acid and antimicrobials affect tomato juice, 130
dietary tocopheryl acetate contributes to lipid in cooked beef, 288
egg yolk Ab (IgY) in solution with high sugar concentrations, 763
in concentrated/semimoist systems, 921
microwave heating affects sesame oil, 613
of citric acid sodium citrate solid solutions, 1341
of eggs from hens fed menhaden oil, 561
of lipoxygenases from barley with heat and kilning, 885
of low-fat ground beef made with lower value cuts, 6
of mackerel surimi prepared under lipid-stabilizing processing conditions, 269
of membrane-sterilized Ig aseptically added to UHT milk, 757
of nonbleeding cocktail cherries dyed with carotenoid pigments, 135
of potato peel waste, 1031; oxidation in pecans: chemical, physical and sensory measurements, 1234

stabilization
of actomyosin to freeze-thaw and heat denaturation by lactate salts, 101
of lipids in fish by freeze texturization, 88

stabilizers
unhydrogenated palm oil in peanut butter, 816

stachyose
reduction in legume flours by lactic acid bacteria, 115

starch
acid hydrolyzed tailing effects on cookie spread, 1255
changes in extrusion of corn and sunflower protein blends, 436
effects on physical properties of mungbean noodles, 378
enzymes increase loaf volume of bread supplemented with tailing, 1251
HPLC determination in green beans, 1048
irradiation effects on pepper viscosity, 118
molecular rearrangement of acid-treated, 637
phospholipid hydrolysate and antistaling amylase effects on retrogradation in bread, 1072
physicochemical properties of field pea, pinto and navy bean, 634
physicochemical properties of irradiated bean, 839
potato paste behavior related to physical properties, 644
properties of pork nuggets with added, 742
screw configuration effects on corn expansion during extrusion, 895
shear induced conversion during extrusion, 1137
volume expansion during hot air puffing of fat-free -based snack, 641

statistics
residence time distribution of multiple particles in non-Newtonian holding tube flow, 1314

steam
surface pasteurization of beef frankfurters, 1
treatment of processed carrot sticks to control surface discoloration, 356

sterilization
application of high pressure for spore inactivation and protein denaturation, 159
model for predicting transient temperature during, 441
oscillatory compared with continuous high pressure on B. stearothermophilus spores, 164
oxidative changes of meat in trays, 689
stability of Ig aseptically added to UHT milk, 757

stickiness
of dairy-based food powders as related to glass transition, 43

storage
affects L monocytogenes in ground pork, 30
affects rheological properties of Mozzarella cheese, 1302
D-alanine in fruit juices: a molecular marker of bacterial activity, heat treatments and shelf-life, 152
beet pulp and isolated pectin physicochemical properties as related to freezing, 1153
calcium treatments affect quality of carrots, 106
color changes of chicken leg patties due to, 26
controlled CO2 atmosphere packaging of retail ready pork, 1296
edible coating effects on tomatoes, 568
gingerol decreased in ginger after, 1338
gram negative bacteria inhibition by lactic acid culture and food preservatives on catfish, 513
influence texture of white asparagus, 821
lactic acid/melanosis inhibitors to improve shelf life of brown shrimp, 242
lipid peroxidation and chemical changes in catfish muscle microsomes during, 251
microbial and quality characteristics of pork from carcasses treated with sanitizing sprays, 306
molecular mass and solubility changes in satsuma mandarin fruit, 578
of tilapia packaged in high barrier film, 260
pink color development in turkey meat as affected by, 1283
quality changes in catfish during, 64
quality changes in diced onions in film packages, 110
reindeer steak quality as affected by, 716
shelf life evaluation of cling peaches in retort pouches, 849
shelf life of honeydew, kiwifruit, papaya, pineapple and cantaloupe, 1202
stability of low-fat ground beef made with lower value cuts of beef, 6
time-temperature indicator using phospholipid phospholipase system and application to pork, 490

strain
polymer and ion concentration effects on gellan gel, 216

strawberries
anthocyanin from cell suspension cultures: effects of sugar and nitrogen, 588

HPLC determination of 2,5-dimethyl-4-hydroxy-3(2H)-furanone and flavor compounds in, 139

strength
fatty acid concentration effect on laminated edible films, 916
of gel increased in surimi with blended phosphates, 246
of protein gels prepared with microbial transglutaminase related to reaction conditions, 866
polymer and ion concentration effects on gellan gel, 216

stress
of breaking in rennin curds from skim milk concentrate, 952

structure
molecular rearrangement of acid-treated starches, 637
of fats and their sorption by polymer films, 1325
studies on nitrosyl derivative of heme, 57
texture and histology of carrots frozen at programmed rate and thawed in electrostatic field, 1162

styrene
migration from polystyrene into dairy products by GC, 990

substrate
specificity of mackerel lipopolygenase, 504

sucrose
crystallization of lactose mixtures, 197
melting and hardness of milkfat blend polyesters, 652
microscopy of cake batter bubbles during baking: replacement by polydextrose, 168
polyester content in food by colorimetric method, 655
polyesters as fat substitutes in Cheddar type cheese, 326

sugar
effect on anthocyanin from strawberry cell suspension cultures, 588
egg yolk Ab (IgY) stability in solution with high concentrations of, 763
HPLC determination in green beans, 1048; in prickly pear fruit, 387

sulfoxide, S-methyl-L-cysteine
precursor of methanethiolsulfinate in cabbage, 350

sunflower
changes in starch and protein on extrusion of corn starch and protein blends, 436
cultivar/location and processing methods affect yield and quality of pectin, 602
determination of water and lipid in oil by NMR, 808
head residue pectin extraction affected by physical conditions, 1207
meal corn meal extrudates and physicochemical properties, 432

superoxide dismutase
in senescing apple, 581

surface
properties: of soy proteins, 606
steam treatment of carrots to control discoloration on, 356
treatment of plate heat exchangers: effects on milk fouling, 964

surimi
degradation of whiting proteins by cathepsin, 1013
gel strength increased with blended phosphates, 246
gelation by high hydrostatic pressure, 523
potassium bromate effects on gel-forming ability of whiting, 786
production from whiting, 272
protein additives in gels, 525
rheological behavior and cross-linking of whiting gel, 773
stability of mackerel prepared under lipid-stabilizing processing conditions, 269
whitefish potentials for fabrication of texturized seafood analogs, 501

syneresis
of rennin curds from skim milk concentrate, 952

T

tallings
acid hydrolyzed starch effects on cookie spread, 1255
enzymes increase loaf volume of bread supplemented with starch, 1251

tannin
of cowpea related to cultivar, maturity, dehulling and heating, 1034

taste
perception of oil-in-water and water-in-oil emulsions, 1318

TBARS
dietary iron in swine rations affects pork skeletal muscle, 747

temperature
affects activities of nucleotidase and acid phosphatidase and lipid and fatty acid composition of carp muscle, 1009
affects microstructure of renneted milk gel, 956
affects transglutaminase-catalyzed setting of fish actomyosin, 1018
affects yield and texture of beef rolls, 282
blanching affects firmness and rehydration of cauliflower, 1181
calcium use in casein extraction by microfiltration, 548
catalase test for heated chicken, 494
color changes of chicken leg patties due to, 26
convective heat transfer at particle-liquid interface in continuous tube flow at elevated fluid, 675
cooking affects sensory, chemical and physical properties of beef patties, 10
dielectric properties of pea puree as function of, 121
endpoint in ground beef patties, 465
fracture of pollack gels in water: effects of test, 777
gelation enhancement of soy protein isolate using high, 872
histamine, putrescine and cadaverine formation in anchovies affected by, 993
indicator using phospholipid phospholipase system and application to storage of frozen pork, 490
low-fat, high-moisture frankfurters: effects during extended mixing, 937
microbiological properties affected by, 300
model for predicting during sterilization of food product, 441
pink color development in turkey meat as affected by cooking, 1283
shear conversion of corn meal by reverse screw elements during twin-screw extrusion, 113
thermal processing canned meat with sub-freezing initial: thermal and microbial validation, 693
wheat gluten and glutenin thermal conductivity and diffusivity, 1244

tenderization
beef muscle characteristics affected by, 295

tenderness
of cimaterol-fed lambs, 33

tensile
fatty acid concentration effect on laminated edible films, 916

tension
initial interfacial by deep-fat fried foods, 804

texture
blanching, freezing and frozen storage influence white asparagus, 821
carrageenan, NaCl and temperature affect beef rolls, 282
changes in cheese during mastication by progressive profiling, 539
fracture intensity distributions during compression of puffed corn meal extrudates, 617
high pressure and freezing pretreatment effects on green beans, carrots and potatoes, 1168
of carrots frozen at programmed rate and thawed in electrostatic field, 1162
of chicken frankfurters with added collagen fibers, 729

texturization
physical and sensory properties of sweetpotato puree with cellulose derivatives, 1175

thawing
texture and histology of carrots in electrostatic field, 1162

thermal conductivity
of wheat gluten and glutenin at extruder temperatures, 1244

thermoluminescence
of inorganic dust from irradiated herbs and spices, 1070

thermostability
proteinase in anchovy muscle, 781
water dispersions of myofibrillar proteins from mackerel, 265

thiamin
loss in pork due to gamma radiation, 1291

tilapia
shelf life of packaged in high barrier film, 260

time
temperature indicator using phospholipid phospholipase system and application to storage of frozen pork, 490

tocopherol
deposition in muscle of salmon, 256
loss in pork due to gamma radiation, 1291

tocopheryl acetate
contributes to lipid stability in cooked beef, 288

tomatine
purification and quantification in tomatoes by HPLC, 1211

tomato
citric acid and antimicrobials affect stability and quality of juice, 130
edible coating effects on storage life and quality, 568
intermittent warming reduces chilling injury and decay of, 1053
tomatine purification and quantification by HPLC, 1211

transglutaminase
strength of protein gels prepared with, 866; temperature and pH affects catalyzed setting of fish actomyosin, 1018

trays
oxidative changes of heat-sterilized meat in, 689

triglyceride
gel matrix influence on hydrolysis by lipases, 424

tripalmitin
phase behavior and mechanical properties of butterfat mixtures, 321

trisodium phosphate (TSP)
treatment of beef surfaces to reduce E. coli and S. typhimurium, 20

trout
refreezing rate after glazing affects muscle, 797

tryptophan
chemometric classification of lots from B amyloliquefaciens, 1131

tuna
copper chelation assay for histamine in, 517

turbidity
method for measuring in gels and sols from milk whey protein, 769

turkey
L. monocytogenes inhibition in bologna by chemical additives, 498
pink color development as affected by nicotinamide, cooking temperature, chilling rate and storage time, 1283

tyrosinase
in mushrooms, 824

U

ultrafiltration
solids extraction of cod and effects on, 799

ultrasound
spectral analysis for beef sensory attributes, 697

ultrastructure
changes in processed carrots, 597

V

vacuum
L. monocytogenes inhibition in packaged turkey bologna by chemical additives, 498

vapor
fatty acid concentration effect on water permeability of laminated edible films, 916
packaging polymer films as aroma barriers, 1328
plasticized whey protein edible films: water permeability properties, 416

veal
restructuring steaks with salt/phosphate and Na alginate/Ca lactate, 471

vegetable
blanching with electromagnetic energy, 1037
oils replace pork backfat for low-fat frankfurters, 725
pectinase activity of spoilage bacteria in modified atmosphere, 175

vicillin
heat induced gelation of pea, 594

vinification
effects on changes in volatile compounds of wine, 406

viscoelasticity
related to heating procedures of myofibrillar protein, 734

viscosity
during extrusion cooking from entrance pressure drop method, 221
irradiation effects on pepper starch, 118
of oil-in-water and water-in-oil emulsions, 1318

vitamins
A: bioavailability in synthetic rice premix, 371
B1: loss in pork due to gamma radiation, 1291
C: content of pepper cultivars and jalapenos, 362
E: contributes to lipid stability in cooked beef, 288; deposition in muscle of salmon, 256; loss in pork due to gamma radiation, 1291

volatile
grade classification of pink salmon with static headspace patterns, 507; concept matching for assessing importance for cheddar cheese aroma, 981
conditions for extraction and concentration of beef fat with CO2, 478
dynamic headspace analysis of Cheddar and Swiss cheese during ripening, 1309
extraction: and analysis of metabolites synthesized by lactic acid bacteria, 192; from solution using micro bubble, gaseous, supercritical and liquid CO2, 231
secondary metabolites of Vitis vinifera grape cv. Sauvignon Blanc, 142
vinification effects on changes in wine, 406

volume
expansion during hot air puffing of fat-free snack, 641

W

warming
intermittent reduces chilling injury and decay of tomato fruit, 1053

washing
limonene and myrcene sorption into polyethylene terephtalate bottles and effects on removal of sorbed compounds, 227

waste
potato peel: stability and antioxidant activity of freeze-dried extract, 1031

water
bacteriological safety of swine carcasses treated with reconditioned, 739
characteristics of lean beef German sausages varying in, 453
concentration in pork due to gamma radiation, 1291
determination in sunflower oil and meat/fat emulsions by NMR, 808
effect during extended mixing of frankfurters, 937
fatty acid concentration effect on vapor permeability of laminated edible films, 916
fracture of pollack gels in: effects of muscle processing and test temperature, 777
loss through absorbent packaging in Camembert cheese, 986
perception of taste and viscosity of oil emulsions, 1318 plasticized whey protein edible films: vapor permeability properties, 416
rheology of soluble glucans from milling fractions of oat, 1077
thermostable dispersions of myofibrillar proteins from mackerel, 265

water activity
food protein nutrient improvement by protease at reduced, 876
in concentrated semimoist food systems, 921
in pork due to gamma radiation, 1291

water-holding capacity
of carrot pulp affected by blanching, 1159

wheat
bread quality of flour by NIR spectrophotometry: feasibility of modeling, 410
gluten and glutenin thermal conductivity and diffusivity at extruder temperatures, 1244
mathematical model for formation rate and collapse of foams from flour, 626
microstructure of frankfurters extended with germ proteins, 474
sourdoughs influence acidification and breadmaking potential of dough, 629

whey
gel properties of protein concentrates as influenced by ionized Ca, 1115
lactoglobulin separation from protein isolate, 1111
method for measuring turbidity in gels and sols from milk protein, 769
plasticized protein edible films: water vapor permeability properties, 416
protein layers influence solute rejection in RO, 1119
protease peptones and physical factors affect foaming of protein isolate, 554

whitefish
potentials for fabrication of texturized seafood analogs, 501

whitener
peanut extract and emulsifier concentrations affect sensory and physical properties of, 344
sensory, physical and microbiological properties of from peanuts, 338

whiting (Merluccius productus)
assay systems and characterization of protease, 277
degradation of surimi proteins by cathepsin, 1013
potassium bromate effects on gel-forming ability of surimi, 786
rheological behavior and cross-linking of surimi gel, 773
surimi production from, 272

wine
free and bound volatile secondary metabolites of Vitis vinifera grape cv. Sauvignon Blanc, 142
lipid and ethanol influences on foam behavior of sparkling base, 148
vinification effects on changes in volatile compounds of, 406

Z

zein
grease resistance of corn coated paper, 912

Zymomonas mobilis
dough leavening by and application to breadmaking, 171